



Inspiration

B R I C K | S T O N E



A black and white photograph of a brick wall. The wall is made of dark, rectangular bricks. Large, sharp shadows are cast across the wall from the left, creating a strong geometric pattern. A vertical pipe runs down the right side of the wall. The floor in the foreground is made of large, light-colored tiles.

Everlasting beauty

Although design and architectural trends are subject to constant change, two things will remain unchanged: emotional attachment to the past and classic elegance. They bring timeless character and charm to every arrangement, now in a modern and fresh way. We invite you to the world of tiles inspired by the natural beauty of stone and exceptional atmosphere of handmade brick.

Timeless style, original design and attention to every detail – our collections will complement a modern facade or original terrace and enliven the interior space of your dream house. Diverse and unique character of every arrangement enables you to create according to your imagination.

We are proud to present our projects where classical beauty and modern design are combined.



TABLE OF CONTENTS

BRICK

6	Cerros
16	Macro
24	Rapid
34	Piatto
46	Foggia
52	Loft Brick
58	Retro Brick
64	Cottage
70	Rott
74	Burgundy
78	Brown
82	Country Cherry
86	Alaska / Dakota

88	Nevada / Montana / Colorado
90	Atacama
92	Gobi
94	Grey
96	Cream
98	Sand
100	Nero
102	Honey
104	Brown
106	Graphite

STONE

108	Saltstone
114	Torstone
122	Kallio
128	Aragon
134	Canella
138	Steel / Mocca
140	Cream / Ecrú
142	Cappuccino / Coral
144	Agate / Nephrite
146	Onyx / Zircon
148	Pyrite / Tourmaline
150	Aragonite / Topaz
152	Limonite

154	Technical instructions
156	Tile description
156	Tables



7,4 x 30
60 x 60



Design cohesion

CERROS

Thanks to the Cerros tiles, creating a cohesive and harmonious interior and exterior designs will be a true pleasure. A wall adorned with the 7,4x30 cm, stone-inspired brick tiles will be a perfect match for the 60x60 cm base tiles from the same collection.

 - facade tile
  - floor tile
  - frost resistance
  - clinker






WALL
 CERROS BIANCO 7,4x30
 FLOOR
 CERROS BIANCO 60x60









Packaging

Dimensions [cm]	7,4×30×0,9	60×60×0,85
Pieces in the box	22	4
m² in the box	0,48	1,44
Box weight [kg]	9,6	28,08

7,4 x 30
60 x 60



Modern minimalism

MACRO

A brick wall and a floor finished with the 60x60 cm tiles from the Macro collection in shades of gray, will fit perfectly in industrial and modern designs. The tiles will also work well in classic spaces and those channeling a vintage style.



🔥 - facade tile 🪵 - floor tile ❄️ - frost resistance ⚡ - clinker



WALL
MACRO GRYS 7,4x30
FLOOR
MACRO GRYS 60x60







Packaging

Dimensions [cm]	7,4×30×0,9	60×60×0,85
Pieces in the box	22	5
m² in the box	0,48	1,44
Box weight [kg]	9,6	28,08

7,4 x 30
60 x 60



Tones of gray

RAPID

Some time ago, brick was primarily used for facades; today it's an important element of design that ideally combines aesthetic and functional values of arrangements. Brick-like tiles imitating stone present themselves superbly in the living room – they will make the room feel tasteful and elegant.

👉 - facade tile 🏠 - floor tile ❄️ - frost resistance ⚙️ - clinker



WALL
RAPID BEIGE 7,4x30
FLOOR
RAPID BEIGE 60x60





WALL
RAPID BIANCO 7,4x30
FLOOR
RAPID GRYS 60x60






WALL
RAPID 7,4x30



Packaging

Dimensions [cm]	7,4×30×0,9	60×60×0,85
Pieces in the box	22	4
m² in the box	0,48	1,44
Box weight [kg]	9,6	28,08

30 x 32
30 x 30
7,4 x 30



Synonym of beauty

PIATTO

As a result of the wide range of Piatto colours it is possible to combine this collection with every architectural style. This collection will change the facade into the most important element of the house and enliven interiors and terraces by giving them a touch of modern charm and creating a fabulous atmosphere.

🔥 - facade tile 🪵 - floor tile ❄️ - frost resistance ⚙️ - clinker



FLOOR
PIATTO RED 30x30



FLOOR
PIATTO-ANTRACYT 30x30






WALL
PIATTO TERRA 7,4x30



WALL
PIATTO GRIS 7,4x30



Piatto red facade tile
5901779371344
7,4 × 30 cm



Piatto red universal tile
5901779370293
30 × 30 cm




Piatto red step tread tile
5901779370453
30 × 30 cm



Piatto red corner step tread tile
5903263447566
30 × 30 cm



Piatto red V-shape step tread
5902510806842
30 × 32/5 cm



Piatto honey facade tile
5901779371320
7,4 × 30 cm



Piatto honey universal tile
5901779370231
30 × 30 cm



Piatto honey step tread tile
5901779370392
30 × 30 cm



Piatto honey corner step tread tile
5903263448709
30 × 30 cm



Piatto honey V-shape step tread
5902510806781
30 × 32/5 cm


Packaging

Dimensions [cm]	7,4×30×0,9	30×30×0,9	30×32/5×0,9
Pieces in the box	22	8	4
m² in the box	0,48	0,72	-
Box weight [kg]	9,6	15,44	12



Piatto sand facade tile
5901779371306

7,4 × 30 cm



Piatto sand
universal tile
5901779370255

30 × 30 cm



Piatto sand
step tread tile
5901779370439

30 × 30 cm




Piatto sand
corner step tread tile
5903263448730

30 × 30 cm




Piatto sand V-shape step tread
5902510806828

30 × 32/5 cm




Piatto antracyt facade tile
5901779371405

7,4 × 30 cm




Piatto antracyt
universal tile
5901779370279

30 × 30 cm



Piatto antracyt
step tread tile
5901779370477

30 × 30 cm



Piatto antracyt
corner step tread tile
5903263445593

30 × 30 cm



Piatto antracyt V-shape step tread
5902510806866

30 × 32/5 cm




Piatto gris facade tile
5901779371368

7,4 × 30 cm



Piatto gris
universal tile
5901779370194

30 × 30 cm



Piatto gris
step tread tile
5901779370415

30 × 30 cm




Piatto gris
corner step tread tile
5903263448631

30 × 30 cm




Piatto gris V-shape step tread
5902510806804

30 × 32/5 cm




Piatto terra facade tile
5901779371382

7,4 × 30 cm



Piatto terra
universal tile
5901779370217

30 × 30 cm



Piatto terra
step tread tile
5903263447702

30 × 30 cm



Piatto terra
corner step tread tile
5903263448686

30 × 30 cm



Piatto terra V-shape step tread
5902510806767

30 × 32/5 cm

Packaging

Dimensions [cm]	7,4×30×0,9	30×30×0,9	30×32/5×0,9
Pieces in the box	22	8	4
m² in the box	0,48	0,72	-
Box weight [kg]	9,6	15,44	12

✂ - tile thickness


👣 R9 - non-slip qualities

👉 - abrasion class

✂54 - number of graphic patterns

👉 - textured surface

6,5 x 24,5

*Monochromatic elegance*

FOGGIA

The Foggia collection presents the industrial version of elegance. The tiles, available in black, white and universal grey, enchant everyone with their satin finish and irregular edges.

 - facade tile
  - frost resistance
  - clinker



WALL
FOGGIA BIANCO 6,5x24,5





WALL
FOGGIA NERO 6,5x24,5



Foggia bianco facade tile
5901779371900

6,5 × 24,5 cm



Foggia gris facade tile
5901779371924

6,5 × 24,5 cm



Foggia nero facade tile
5901779371917

6,5 × 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,8
Pieces in the box	38
m² in the box	0,6
Box weight [kg]	10,5

 - tile thickness  - textured surface

6,5 x 24,5

*Detail with history*

LOFT BRICK

This collection of wall tiles was created for loft and industrial interiors. With a delightful pattern of old brick combined with a variety of colours inspired by oriental spices, the collection will also work perfectly in facades.

 - facade tile
  - frost resistance
  - clinker




WALL
LOFT BRICK CARDAMOM 6,5x24,5







WALL
LOFT BRICK PEPPER 6.5x24.5




Loft Brick curry facade tile
5901779372112



Loft Brick salt facade tile
5901779372075



Loft Brick pepper facade tile
5901779372099



Loft Brick masala facade tile
5901779372082



Loft Brick chili facade tile
5901779372105



Loft Brick cardamom facade tile
5901779372129

Packaging

Dimensions [cm]	6,5x24,5x0,8
Pieces in the box	38
m² in the box	0,6
Box weight [kg]	10,54

6,5 x 24,5

*Sophisticated design*

RETRO BRICK


The Retro Brick collection indulges us with subtle colours and lovely tonal transitions. The original combination of old brick and warm tints will result in a unique and sophisticated design.

 - facade tile
  - frost resistance
  - clinker



WALL
RETRO BRICK PEPPER 6,5x24,5





Retro Brick curry facade tile
5901779371979 6,5 × 24,5 cm



Retro Brick salt facade tile
5901779371931 6,5 × 24,5 cm




Retro Brick pepper facade tile
5901779371955 6,5 × 24,5 cm



Retro Brick masala facade tile
5901779371948 6,5 × 24,5 cm



Retro Brick chili facade tile
5901779371962 6,5 × 24,5 cm



Retro Brick cardamom facade tile
5901779371986 6,5 × 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,8
Pieces in the box	38
m² in the box	0,6
Box weight [kg]	10,5

30 x 32
30 x 30



Non-urban allure

COTTAGE

The Cottage collection has been designed to make the most effective use of your garden space. Square floor elements will perfectly complement the design of an enchanting terrace with stairs that lead directly to the garden.

🌀 - floor tile ❄️ - frost resistance ⚡ - clinker





FLOOR
COTTAGE MASALA 30x30



FLOOR
COTTAGE CHILI 30x30



Cottage masala
universal tile
5901779372433

0,9
R10
4
12



Cottage masala
step tread tile
5901779371252

0,9
R10
4
12



Cottage masala
corner step tread tile
5901779372662

0,9
R10
4
12



Cottage masala
V-shape step tread
5901779370668

0,9
R11
5




Cottage salt
universal tile
5901779372426

0,9
R10
4
12



Cottage salt
step tread tile
5901779371290

0,9
R10
4
12



Cottage salt
corner step tread tile
5901779372822

0,9
R10
4
12



Cottage salt
V-shape step tread
5901779370651

0,9
R11
5



Cottage curry
universal tile
5901779372464

0,9
R10
4
12



Cottage curry
step tread tile
5901779371238

0,9
R10
4
12



Cottage curry
corner step tread tile
5901779372570

0,9
R10
4
12



Cottage curry
V-shape step tread
5901779370699

0,9
R11
4



Cottage chili
universal tile
5901779372457

0,9
R10
4
12



Cottage chili
step tread tile
5901779371214

0,9
R10
4
12



Cottage chili
corner step tread tile
5901779372556

0,9
R10
4
12



Cottage chili
V-shape step tread
5901779370682

0,9
R11
4



Cottage cardamom
universal tile
5901779372471

0,9
R10
4
12



Cottage cardamom
step tread tile
5901779371191

0,9
R10
4
12



Cottage cardamom
corner step tread tile
5901779372402

0,9
R10
4
12



Cottage cardamom
V-shape step tread
5901779370705

0,9
R11
4



Cottage pepper
universal tile
5901779372440

0,9
R10
4
12



Cottage pepper
step tread tile
5901779371276

0,9
R10
4
12



Cottage pepper
corner step tread tile
5901779372686

0,9
R10
4
12



Cottage pepper
V-shape step tread
5901779370675

0,9
R11
5

Packaging

Dimensions [cm]	30×30×0,9	30×32/5×0,9
Pieces in the box	8	4
m² in the box	0,72	-
Box weight [kg]	15,44	12

30 x 32
 30 x 30
 14,8 x 35
 14,8 x 30
 13,5 x 24,5
 10 x 20
 6,5 x 24,5

ROTT






Rott smooth facade tile
59032634449515

6,5 × 24,5 cm


0,65



Rott rustic facade tile
59032634449522

6,5 × 24,5 cm

0,65



Rott smooth shaded facade tile
59032634449546

6,5 × 24,5 cm


0,65



Rott rustic shaded facade tile
59032634449539

6,5 × 24,5 cm

0,65



Rott universal rustic tile
59032634445425

30 × 30 cm

0,9
R10
4



Rott window sill tile

1,3

14,8 × 35 cm



5903263444992

14,8 × 30 cm



5903263441793

13,5 × 24,5 cm



5903263441809

10 × 20 cm



5903263441892



Rott V-shape step tread
5901779370514

30 × 32/5 cm

1,1
R10
4



Rott floor tile

30 × 30 cm

1,1
R10
4



Rott floor tile

14,8 × 30 cm

1,1
R10
4



Rott step tread tile

30 × 30 cm

1,1
R10
4



Rott corner step tread tile

30 × 30 cm

1,1
R10
4

Packaging

Dimensions [cm]	6,5×24,5×0,65	6,5×24,5×0,65 (rustic)	30×30×0,9	30×30×1,1	14,8×30×1,1	30×30×1,1 (step tread)	30×32/5×1,1	14,8×35×1,3	14,8×30×1,3	13,5×24,5×1,3	10×20×1,3
Pieces in the box	32	32	8	8	16	8	4	11	11	20	25
m² in the box	0,5	0,5	0,72	0,72	0,71	-	-	-	-	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	17,9	17,6	12	16,5	15,3	20,7	15,7

0,65 - tile thickness R10 - non-slip qualities 4 - abrasion class textured surface

30 x 32
30 x 30
14,8 x 35
14,8 x 30
13,5 x 24,5
10 x 20
6,5 x 24,5

BURGUNDY





Burgundy smooth facade tile
59032634449553

6,5 × 24,5 cm

0,65



Burgundy rustic facade tile
59032634449577

6,5 × 24,5 cm


0,65



Burgundy smooth shaded facade tile
59032634449560

6,5 × 24,5 cm


0,65



Burgundy rustic shaded facade tile
59032634449584

6,5 × 24,5 cm


0,65



Burgundy universal rustic tile
59032634445432

30 × 30 cm

0,9
R10
3



Burgundy window sill tile

1,3

14,8 × 35 cm

5903263447108

14,8 × 30 cm

5903263444039

13,5 × 24,5 cm

5903263444015

10 × 20 cm


5903263444022



Burgundy V-shape step tread
5901779370637

30 × 32/5 cm

1,1
R10
3



5903263445258

Burgundy floor tile

30 × 30 cm

1,1
R10
3



5903263446545

14,8 × 30 cm

1,1
R10
3




5903263445623

Burgundy step tread tile

30 × 30 cm

1,1
R10
3



5903263445821

Burgundy corner step tread tile

30 × 30 cm

1,1
R10
3

Packaging

Dimensions [cm]	6,5×24,5×0,65	6,5×24,5×0,65 (rustic)	30×30×0,9	30×30×1,1	14,8×30×1,1	30×30×1,1 (step tread)	30×32/5×1,1	14,8×35×1,3	14,8×30×1,3	13,5×24,5×1,3	10×20×1,3
Pieces in the box	32	32	8	8	16	8	4	11	11	20	25
m² in the box	0,5	0,5	0,72	0,72	0,71	-	-	-	-	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	17,9	17,6	12	16,5	15,3	20,7	15,7

0,65 - tile thickness R10 - non-slip qualities 3 - abrasion class textured surface

30 x 30
 14,8 x 35
 14,8 x 30
 13,5 x 24,5
 10 x 20
 6,5 x 24,5

BROWN





FLOOR
BROWN 30x30



Brown smooth facade tile
5903263449683 6,5 × 24,5 cm



Brown universal rustic tile
5903263445487 30 × 30 cm




Brown rustic facade tile
5903263449690 6,5 × 24,5 cm



5903263445302
Brown floor tile



5903263446576 14,8 × 30 cm



1,3
Brown window sill tile
5903263447580 14,8 × 35 cm
5903263440437 14,8 × 30 cm
5903263442011 13,5 × 24,5 cm
5903263441977 10 × 20 cm



5903263445678
Brown step tread tile



5903263445876
Brown corner step tread tile

Packaging

Dimensions [cm]	6,5×24,5×0,65	6,5×24,5×0,65 (rustic)	30×30×0,9	30×30×1,1	14,8×30×1,1	30×30×1,1 (step tread)	14,8×35×1,3	14,8×30×1,3	13,5×24,5×1,3	10×20×1,3
Pieces in the box	32	32	8	8	16	8	11	11	20	25
m² in the box	0,5	0,5	0,72	0,72	0,71	-	-	-	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	179	17,6	16,5	15,3	20,7	15,7

- tile thickness - non-slip qualities - abrasion class - textured surface

30 x 32
30 x 30
14,8 x 30
6,5 x 24,5

COUNTRY CHERRY






WALL
COUNTRY CHERRY 6,5x24,5



Country Cherry smooth facade tile
5903263449805 6,5 × 24,5 cm

0,65



Country Cherry rustic facade tile
5903263449782 6,5 × 24,5 cm

0,65



Country Cherry V-shape step tread
5901779370590 30 × 32/5 cm

1,1
R10
3




Country Cherry universal rustic tile
5903263445500 30 × 30 cm

0,9
R10
3



5903263445326
Country Cherry floor tile

1,1
R10
3



5903263446613 14,8 × 30 cm

1,1
R10
3



5903263445708
Country Cherry step tread tile

1,1
R10
3



5903263445906
Country Cherry corner step tread tile

1,1
R10
3

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)	30x30x0,9	30x30x1,1	14,8x30x1,1	30x30x1,1 (step tread)	30x32/5x1,1
Pieces in the box	32	32	8	8	16	8	4
m² in the box	0,5	0,5	0,72	0,72	0,71	-	-
Box weight [kg]	7,5	6,8	14,2	17,6	17,9	17,6	12

0,65 - tile thickness R10 - non-slip qualities 3 - abrasion class textured surface

ALASKA

Packaging

Dimensions [cm]	6,5×24,5×0,65 (rustic)
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	6,8



Alaska rustic facade tile
5903263449652

6,5 × 24,5 cm



WALL
ALASKA 6,5x24,5

DAKOTA

Packaging

Dimensions [cm]	6,5×24,5×0,65 (rustic)
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	6,8



Dakota rustic facade tile
5903263449607

6,5 × 24,5 cm



WALL
DAKOTA 6,5x24,5

NEVADA

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	6,8



Nevada rustic facade tile
5903263449621


6,5 × 24,5 cm

0,65

MONTANA

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	6,8



Montana rustic facade tile
5903263449638

6,5 × 24,5 cm

0,65

COLORADO

Packaging

Dimensions [cm]	6,5x24,5x0,65 (rustic)
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	6,8



Colorado rustic facade tile
5903263449614

6,5 × 24,5 cm

0,65



WALL
NEVADA 6,5x24,5



WALL
COLORADO 6,5x24,5

6,5 x 24,5

ATACAMA



Atacama rustic facade tile
5903263449751

6,5 x 24,5 cm



Packaging

Dimensions [cm]	6,5x24,5x0,65
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	6,8

 - facade tile

 - frost resistance

 - clinker

 - tile thickness

 - textured surface



6,5 x 24,5

Gobi



Gobi rustic facade tile
5903263449768

6,5 x 24,5 cm

0,65

Packaging

Dimensions [cm]	6,5x24,5x0,65
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	6,8

 - facade tile  - frost resistance  - clinker  - tile thickness  - textured surface



6,5 x 24,5

GREY



Grey glazed facade tile
5901779371788

6,5 x 24,5 cm

0,65

Packaging

Dimensions [cm]	6,5x24,5x0,65
Pieces in the box	32
m² in the box	0,5
Box weight [kg]	7,5

- facade tile - frost resistance - clinker - tile thickness



6,5 x 24,5

CREAM



Cream smooth facade tile
5903263449720 6,5 x 24,5 cm



Cream rustic facade tile
5903263449737 6,5 x 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)
Pieces in the box	32	32
m² in the box	0,5	0,5
Box weight [kg]	7,5	6,8

- facade tile - frost resistance - clinker - tile thickness - textured surface



6,5 x 24,5

SAND



Sand smooth facade tile
5903263449669 6,5 x 24,5 cm



Sand rustic facade tile
5903263449676 6,5 x 24,5 cm

Packaging

Dimensions [cm]	6,5x24,5x0,65	6,5x24,5x0,65 (rustic)
Pieces in the box	32	32
m² in the box	0,5	0,5
Box weight [kg]	7,5	6,8

 - facade tile  - frost resistance  - clinker  - tile thickness  - textured surface




14,8 × 35
14,8 × 30
13,5 × 24,5
10 × 20
6,5 × 24,5

NERO



Nero glazed facade tile
5903263449706 6,5 × 24,5 cm



Packaging

Dimensions [cm]	6,5×24,5×0,65	14,8×35×1,3	14,8×30×1,3	13,5×24,5×1,3	10×20×1,3
Pieces in the box	32	11	11	20	25
m² in the box	0,5	-	-	-	-
Box weight [kg]	7,5	16,5	15,3	20,7	15,7

🧱 - facade tile ❄️ - frost resistance 🏗️ - clinker 📏 - tile thickness



14,8 × 35
14,8 × 30
13,5 × 24,5
10 × 20
6,5 × 24,5

HONEY



Honey glazed facade tile
5903263449850

6,5 × 24,5 cm


0,65



1,3


Honey glazed window sill tile

14,8 × 35 cm




5903263445159

14,8 × 30 cm



5903263441755

13,5 × 24,5 cm



5903263441687

10 × 20 cm



5903263441861

Packaging

Dimensions [cm]	6,5×24,5×0,65	14,8×35×1,3	14,8×30×1,3	13,5×24,5×1,3	10×20×1,3
Pieces in the box	32	11	11	20	25
m² in the box	0,5	-	-	-	-
Box weight [kg]	7,5	16,5	15,3	20,7	15,7

- facade tile

- frost resistance

- clinker

- tile thickness



14,8 × 35
14,8 × 30
13,5 × 24,5
10 × 20
6,5 × 24,5

BROWN



Brown glazed facade tile
5903263449836 6,5 × 24,5 cm


❄️ 0,65



❄️ 1,3


Brown glazed window sill tile

14,8 × 35 cm



5903263447115

14,8 × 30 cm



5903263441946

13,5 × 24,5 cm



5903263441953

10 × 20 cm



5903263441960

Packaging

Dimensions [cm]	6,5×24,5×0,65	14,8×35×1,3	14,8×30×1,3	13,5×24,5×1,3	10×20×1,3
Pieces in the box	32	11	11	20	25
m² in the box	0,5	-	-	-	-
Box weight [kg]	7,5	16,5	15,3	20,7	15,7

🏠 - facade tile

❄️ - frost resistance

🏗️ - clinker

📏 - tile thickness



14,8 x 30
13,5 x 24,5
10 x 20
6,5 x 24,5

GRAPHITE



Graphite glazed facade tile
5903263449867

6,5 x 24,5 cm


0,65



1,3


Graphite glazed window sill tile

14,8 x 30 cm




5903263441786

13,5 x 24,5 cm



5903263441694

10 x 20 cm



5903263441854

Packaging

Dimensions [cm]	6,5x24,5x0,65	14,8x30x1,3	13,5x24,5x1,3	10x20x1,3
Pieces in the box	32	11	20	25
m² in the box	0,5	-	-	-
Box weight [kg]	7,5	15,3	20,7	15,7

🏠 - facade tile ❄️ - frost resistance 🏗️ - clinker 📏 - tile thickness



14,8x30



Timeless façade

SALTSTONE

The representative function of the building belongs to the façade, so it's beneficial to make it aesthetic, timeless and durable. Therefore, when designing a façade, it's definitely worth choosing tiles from the Saltstone collection, inspired by the tarazzo stone.

🏠 - facade tile ❄️ - frost resistance 🏗️ - clinker

WALL
SALTSTONE BIANCO 14,8x30
FLOOR
GRAPIA NOCE 17,5x80



WALL
SALTSTONE GRYS 14,8x30
FLOOR
LISTRIA SABBIA 17,5x80



WALL
SALTSTONE GRAFIT 14,8x30



Saltstone bianco facade stone
5902510809348 14,8 x 30 cm



Saltstone grys facade stone
5902510809362 14,8 x 30 cm



Saltstone grafit facade stone
5902510809386 14,8 x 30 cm

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	8,9

14,8 x 30



Design with character

TORSTONE

Thanks to the variety of tile shades in the Torstone collection, it doesn't take any effort to find those that will perfectly fit your design.

🏡 - facade tile ❄️ - frost resistance ⚙️ - clinker



WALL
TORSTONE BEIGE 14,8x30
FLOOR
LISTRIA SABBIA 17,5x80



WALL
TORSTONE BIANCO 14,8x30
FLOOR
LISTRIA SABBIA 17,5x80



WALL
TORSTONE BROWN 14,8x30





Torstone bianco facade stone
5902510809140 14,8 × 30 cm




Torstone gryś facade stone
5902510809201 14,8 × 30 cm



Torstone beige facade stone
5902510809164 14,8 × 30 cm



Torstone grafit facade stone
5902510809225 14,8 × 30 cm



Torstone brown facade stone
5902510809188 14,8 × 30 cm

Packaging

Dimensions [cm]	14,8×30×0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	8,9

15x45



Spectacular colours

KALLIO

The Kallio collection responds to the needs of modern architecture. It attracts attention with its cut stone pattern and original colours. It will be ideal for living rooms but can also be used successfully in facades.

 - facade tile
  - frost resistance
  - clinker



WALL
KALLIO AMBER 15x45



WALL
KALLIO CREAM 15x45



WALL
KALLIO RUST 15x45




WALL
KALLIO TERRA 15x45



Kallio cream facade stone
5901779373768

15 × 45 cm

0,9
5



Kallio marengo facade stone
5901779373737

15 × 45 cm


0,9
5



Kallio amber facade stone
5901779373775

15 × 45 cm

0,9
5



Kallio rust facade stone
5901779373720

15 × 45 cm

0,9
5



Kallio terra facade stone
5901779373751

15 × 45 cm

0,9
5



Kallio tar facade stone
5901779373690

15 × 45 cm

0,9
4

Packaging

Dimensions [cm]	15x45x0,9
Pieces in the box	9
m² in the box	0,6
Box weight [kg]	10,87

15x45

*Mediterranean vibes*

ARAGON

Aragon collection was inspired by a Mediterranean style. When used in facades, it will captivate everyone with light and subtle colours, matt finishing and distinct natural texture.

 - facade tile
  - frost resistance
  - clinker



WALL
ARAGON BEIGE 15x45





WALL
ARAGON MARENCO 15x45



0,9
5
11

Aragon sand facade stone
5903263448846

15 × 45 cm



0,9
5
11

Aragon savanna facade stone
5903263448853

15 × 45 cm



0,9
5
11

Aragon beige facade stone
5903263448860

15 × 45 cm



0,9
5
11

Aragon forest facade stone
5903263448839

15 × 45 cm



0,9
5
11

Aragon marenco facade stone
5903263448877

15 × 45 cm



0,9
5
11

Aragon brick* facade stone
5903263448822

15 × 45 cm



0,9
5
11

Aragon desert* facade stone
5903263448808

15 × 45 cm



0,9
5
11

Aragon natura* facade stone
5903263448815

15 × 45 cm

Packaging

Dimensions [cm]	15x45x0,9
Pieces in the box	9
m² in the box	0,6
Box weight [kg]	10,88

* This product is only available on export markets.

11 - tile thickness 5 - number of graphic patterns 11 - textured surface

30 x 49

*Wonderful detail*

CANELLA

The Canella collection enchants us with its mixture of subtle colours. It will enliven the texture of any wall or facade and will fit perfectly into modern architecture as well as traditional style homes.

🏠 - facade tile ❄️ - frost resistance ⚙️ - clinker



WALL
CANELLA DARK 30x49



WALL
CANELLA DESERT 30x49



Canella desert facade stone 30 × 49 cm
5903263446804



Canella terra facade stone 30 × 49 cm
5903263446798



Canella diuna facade stone 30 × 49 cm
5903263447498



Canella dark facade stone 30 × 49 cm
5903263446781



Canella natura facade stone 30 × 49 cm
5903263446811



Canella steel facade stone 30 × 49 cm
5903263447511



Canella ginger facade stone 30 × 49 cm
5903263447504

Packaging

Dimensions [cm]	30x49x1
Pieces in the box	6
m² in the box	0,88
Box weight [kg]	15,6

STEEL CER 7

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Steel CER 7 facade stone 14,8 x 30 cm
5903263447290



WALL
STEEL CER 7 14,8x30

MOCCA CER 8

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Mocca CER 8 facade stone 14,8 x 30 cm
5903263447306



WALL
MOCCA CER 8 14,8x30

CREAM CER 9

14,8 x 30

Packaging	
Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Cream CER 9 facade stone
5903263447313 14,8 x 30 cm



WALL
CREAM CER 9 14,8x30

ECRU CER 10

14,8 x 30

Packaging	
Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Ecrú CER 10 facade stone
5903263447320 14,8 x 30 cm



WALL
ECRU CER 10 14,8x30

CAPPUCINO CER 11

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Cappucino CER 11 facade stone 14,8 x 30 cm
5903263447337



WALL
CAPPUCINO CER 11 14,8x30

CORAL CER 21

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Coral CER 21 facade stone 14,8 x 30 cm
5903263447344



WALL
CORAL CER 21 14,8x30

AGATE CER 23

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Agate CER 23 facade stone
5903263447368 14,8 x 30 cm



WALL
AGATE CER 23 14,8x30

NEPHRITE CER 25

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Nephrite CER 25 facade stone
5903263447382 14,8 x 30 cm



WALL
NEPHRITE CER 25 14,8x30

ONYX CER 26

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Onyx CER 26 facade stone
5903263447399

14,8 x 30 cm



WALL
ONYX CER 26 14,8x30

ZIRCON CER 27

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Zircon CER 27 facade stone
5903263447405

14,8 x 30 cm



WALL
ZIRCON CER 27 14,8x30

PYRITE CER 28

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Pyrite CER 28 facade stone
5903263447412 14,8 x 30 cm



TOURMALINE CER 29

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Tourmaline CER 29 facade stone
5903263447429 14,8 x 30 cm



ARAGONITE CER 30

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Aragonite CER 30 facade stone 14,8 × 30 cm
5903263447436



WALL
ARAGONITE CER 30 14,8x30

TOPAZ CER 31

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Topaz CER 31 facade stone 14,8 × 30 cm
5903263447443



WALL
TOPAZ CER 31 14,8x30

LIMONITE CER 33

14,8 x 30

Packaging

Dimensions [cm]	14,8x30x0,9
Pieces in the box	12
m² in the box	0,53
Box weight [kg]	9,54



Limonite CER 33 facade stone
5903263447467

14,8 x 30 cm

0,9



WALL
LIMONITE CER 33, 14,8x30



V-SHAPE


V-shaped tiles – curved step treads are manufactured using the innovative double firing method, which makes them even more resistant to external conditions. Additionally, we have reinforced the strategic points of the tile with a special composite which fills the grooves on the back side of the tile. The V-shape series complements our range of floor tiles.

SIMPLIFIED INSTRUCTIONS

Before starting to install curved step treads, it is important to prepare the appropriate substrate, backing and insulation layers. During the installation of our products use selected and high performance materials. Flexible adhesives for frost resistant tiles, flexible sealants for expansion joints and flexible grouts should be used. This applies particularly to outdoor installation of the tiles.

Following the installation instructions and material-related guidelines guarantees many years of trouble-free use. It is possible to use our products on stairs or roofed/ open-air terraces, where surfaces are exposed to precipitation, temperature fluctuations and mechanical stress.

When installed properly, our tiles guarantee safe usage on both stairs and terraces.




Proper preparation of the substrate

Requirements – the substrate should be level, stable, dry and free of dirt. In order to improve adhesion it may be necessary to prime it (it is particularly important in case of absorbent surfaces). For outdoor applications, it is also important to insulate the substrate against moisture. We recommend solutions suggested by the construction chemicals manufacturer.




Bonding

Apply the adhesive to the prepared substrate. We recommend class C2 tile adhesive, with enhanced adhesion and flexibility parameters. It is also important to make at least a 2% slope towards the drainage direction, which is crucial in outdoor applications. Spread the mortar to cover the tile adhesive surface and the substrate.




Cut and fitted elements

Prepare the riser (cut properly from the base tile). For the step tread bend (at the edge of the step), use durable elastic material of equal thickness (2–5 mm). See Figure 4.




Durable elastic materials

Durable elastic materials, such as polyurethane compounds used to fill expansion joints, eliminate the potential forces and movements that result from the natural thermal expansion of various building materials.



Installation instructions

Both the stair tread tile and the riser should be coated with the adhesive. It is also necessary to fill the bend of the stair tread nose with adhesive, before bonding. The recommended sequence is first to install the stair tread tile, followed by the riser tile.



Grouting

Repeat the above steps while installing the remaining step treads. Grout the tiles once the mortar has set. The recommended flexible grout gap is min. 5 mm.

TILES DESCRIPTION

	Non-slip qualities		Textured surface
	Abrasion class		Tile thickness
	Floor tile		Frost resistance
	Facade tile		Number of graphic patterns
Within one collection, our tiles have over 60 different graphics to avoid the so-called stamp effect (i.e. unintentional repetition of a pattern on a small surface).			

DIMENSIONS AND PACKAGING

	Dimensions [cm]	Pieces in the box	m² in the box	m² / pcs on a pallet	Boxes on a pallet	Frost resistance
FACADE TILE	6,5x24,5x0,8	38	0,60	68,40	114	✓
	6,5x24,5x0,65	32	0,50	84,00	168	
	7,4x30x0,9	22	0,48	46,08	96	
RUSTIC FACADE TILE	6,5x24,5x0,65	32	0,50	84,00	168	✓
FLOOR TILE	14,8x30x1,1	16	0,71	42,60	60	✓
	30x30x1,1	8	0,72	46,08	64	
	30x30x0,9	8	0,72	51,84	72	
	60x60x0,85	4	1,44	43,20	30	
	60x60x0,9	4	1,44	43,20	30	
STEP TREAD TILE	30x30x1,1	8	—	512 pcs	64	✓
CORNER STEP TREAD TILE	30x30x1,1	8	—	512 pcs	64	✓
V-SHAPE STEP TREAD	30x32/5x1,1	4	—	204 pcs	51	✓
	30x32/5x0,9	4	—	204 pcs	51	
WINDOW SILL	10x20x1,3	25	—	2100 pcs	84	✓
	13,5x24,5x1,3	20	—	1200 pcs	60	
	14,8x30x1,3	11	—	880 pcs	80	
	14,8x35x1,3	11	—	935 pcs	85	
FACADE STONE	14,8x30x0,9	12	0,53	53,00	100	✓
	15x45x0,9	9	0,60	66,00	110	
	30x49x1	6	0,88	45,76	52	
	17,5x60x0,9	8	0,84	53,76	64	

TECHNICAL PROPERTIES AND STANDARDS

VALUES ACCORDING TO THE STANDARD
PN - EN 14411:2013-04 ANNEX H AND DECLARED – CLINKER

DIMENSIONS AND SURFACE FLATNESS		NOMINAL DIMENSION N	
		7 cm ≤ N < 15	N ≥ 15 cm
tests according to PN-EN ISO 10545-2	length	± 0,9 mm	± 0,6% and max ± 2,0 mm
	width	± 0,9 mm	± 0,6% and max ± 2,0 mm
	thickness	± 0,5 mm	± 5% and max ± 0,5 mm
	deflection from the straight angle	± 0,75 mm	± 0,5% and max ± 2,0 mm
	surface flatness	± 0,75 mm	± 0,5% and max ± 2,0 mm

	PHYSICAL PROPERTIES	REQUIREMENTS	MEAN VALUE ACHIEVED
	Water absorption, tests according to PN-EN ISO 10545-3	0,5% < E ≤ 3%	0,5% < E ≤ 2,6%
	Breaking force, tests according to PN-EN ISO 10545-4	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1100 N	850 N 2000 N
	Flexural strength, tests according to PN-EN ISO 10545-4	> 30 N/mm²	≥ 38 N/mm²
	Abrasion resistance, tests according to PN-EN ISO 10545-7	according to the manufacturer's declaration	cl. 3 – 5
	Frost resistance, tests according to PN-EN ISO 10545-12	required	resistant
	Chemical resistance, tests according to PN-EN ISO 10545-13, – to acids and bases of low concentration, – to acids and bases of high concentration, – to household agents/water pool salts	according to the manufacturer's classification – min. B	– LA – HA – A
	Non-slip qualities, tests according to DIN 51130 + complementary procedures	according to the manufacturer's declaration	smooth and rustic surface – R9
	Release of lead and cadmium PN-EN ISO 10545-15	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm³ Cadmium < 0,02 mg/dm³
	Natural radioactivity ITB 455/2010	no requirements	below regulatory safety limits
	Resistance to staining PN-EN ISO 10545-14	min. 3 cl.	cl. 5
	Crazing resistance, tests according to PN-EN ISO 10545-11	required	resistant
	Thermal shock resistance, test according to PN-EN ISO 10545-9	required	resistant

This catalogue does not constitute an offer as defined in the Civil Code provisions. The actual appearance of tiles may differ from that presented in the pictures contained herein.

All rights reserved © CERRAD Sp. z o.o. 2023.

HELD CERTIFICATES: compliance with PN-EN 14411:2013-04; for safety  ; EN ISO 9001; EN ISO 14001.

NOTES

NOTES



CERRAD Ltd.

Radomska Street 49 B
27-200 Starachowice, Poland
phone +48 800 237 723
office@cerrad.com
www.cerrad.com