www.cerrad.com

Wood

CERRAD

CERRAD



INSPIRATION

WOOD

Inspiration

W O O D

CERRAD

Design inspired by nature

Nature is a great source of inspiration which is intertwined with the modern design to form an amazing duo.

This approach to design has enabled us to create unique tile collections which take the best from nature. Our offer combines the warmth and elegance of wood with comfort of use and durability of porcelain tiles. A wide range of colours and exact reproduction of the graining of wood make them perfect for many, entirely different projects, both traditional and modern ones.

We are passing into your hands products that will perfectly complement your designs, in which life moves fast and intensely, but in harmony with nature at the same time.

TABLE OF CONTENTS

6 Aviona
14 Grapia
20 Listria
28 Giornata
34 Notta
40 Tramonto
48 Libero
56 Nickwood
64 Acero
72 Tonella
80 Fuerta
90 Laroya
96 Westwood
108 Mattina
122 Cortone
134 Catalea
146 Lussaca
152 Mustiq
158 Tilia
164 Setim
170 Celtis

176 Technical instructions
178 Tables

NEW

17,5 x 80



Nature inspired design

AVIONA

The wood-like tiles form the Aviona collection flawlessly resemble real wood, reflecting its original color, grain, knotting and texture. They will present themselves remarkably in classic, modern, Scandinavian or rustic designs.

- wall tile · - floor tile · - frost resistance · - clinker tile · - calibrated

WALL / FLOOR
AVIONA SABBIA 17,5x80

WALL
AVIONA BIANCO 17,5x80
RAPID BROWN 60x60
FLOOR
AVIONA BIANCO 17,5x80

WALL
RAPID BROWN 7,4x30
FLOOR
AVIONA BEIGE 17,5x80



0,8
R9
4
23

Aviona bianco 17,5 × 80 cm
5902510808785

0,8
R9
4
23

Aviona beige 17,5 × 80 cm
5902510808808

0,8
R9
4
23

Aviona sabbia 17,5 × 80 cm
5902510808822

0,8
R9
3
23

Aviona brown 17,5 × 80 cm
5902510808846

Packaging

Dimensions [cm]	17,5×80×0,8
Pieces in the box	10
m² in the box	1,4
Box weight [kg]	27

0,8 - tile thickness R9 - non-slip qualities 4 - abrasion class 23 - number of graphic patterns - textured surface

NEW

17,5 x 80

Out of love for tradition

GRAPIA

The shade palette for the Grapia collection extends from the dark ebano and marrone assortments, ideal for classic and vintage settings, all the way to the natural noce and sabia options, which will become a harmonious complement to modern and minimalist styles.

- wall tile - floor tile - frost resistance - clinker tile - calibrated

WALL / FLOOR
GRAPIA EBANO 17,5x80

WALL
GRAPIA SABBIA 17,5x80
CERROS BIANCO 60x60
FLOOR
GRAPIA SABBIA 17,5x80

WALL
SALTSTONE BIANCO 14,8x30
FLOOR
GRAPIA NOCE 17,5x80

FLOOR
GRAPIA MARRONE 17,5x80

0,8
R9
4
23

Grapia sabbia 17,5 × 80 cm
5902510808709

0,8
R9
4
23

Grapia noce 17,5 × 80 cm
5902510808723

0,8
R9
3
23

Grapia marrone 17,5 × 80 cm
5902510808747

0,8
R9
3
23

Grapia ebano 17,5 × 80 cm
5902510808761

Packaging

Dimensions [cm]	17,5×80×0,8
Pieces in the box	10
m² in the box	1,4
Box weight [kg]	27

- tile thickness R9 - non-slip qualities - abrasion class 23 - number of graphic patterns - textured surface

NEW

17,5 x 80

In the shades of nature

LISTRIA

Tiles in subtle brown shades will suit any style and color décor, and will combine perfectly with a variety of materials. They are a perfect choice for that undecided design enthusiast wanting to metamorphose an interior – this tile base allows you to simply change out the accessories in order to in a blink of an eye transform the look and feel of any interior.

- wall tile - floor tile - frost resistance - clinker tile - calibrated

WALL
RAPID BEIGE 7,4x30
FLOOR
LISTRIA MIELE 17,5x80

WALL
CERROS GRAFIT 7,4x30
FLOOR
LISTRIA MARRONE 17,5x80

WALL
LISTRIA MARRONE 17,5x80
MACRO GRYS 7,4x30

WALL
SALTSTONE GRYS 14,8x30
FLOOR
LISTRIA BIANCO 17,5x80





0,8
R9
4
12

Listria bianco 17,5 × 80 cm
5902510808921

0,8
R9
4
12

Listria sabbia 17,5 × 80 cm
5902510808860

0,8
R9
4
12

Listria miele 17,5 × 80 cm
5902510808907

0,8
R9
3
12

Listria marrone 17,5 × 80 cm
5902510808884

Packaging

Dimensions [cm]	17,5×80×0,8
Pieces in the box	10
m² in the box	1,4
Box weight [kg]	27

- tile thickness R9 - non-slip qualities - abrasion class 12 - number of graphic patterns

11 x 60

Nature in daylight

GIORNATA

The Giornata collection of tiles is reminiscent of wooden parquets covered with sun rays. A wide range of colours and an interesting texture make the tiles an exceptional material for both modern and classic concepts.
The unique graphical style of the tiles means that the final surface looks exactly like natural wood.

- wall tile - floor tile - frost resistance - clinker tile - calibrated

FLOOR
GIORNATA GRIGIO 11x60



WALL
GIORNATA BIANCO 11x60
CONCRETE GRAPHITE 162x324
FLOOR
GIORNATA BIANCO 11x60

FLOOR
GIORNATA SABBIA 11x60

WALL / FLOOR
GIORNATA ORO 11x60

Giornata bianco 11 × 60 cm
5902510807924

0,8
R9
4
24

Giornata grigio 11 × 60 cm
5902510807948

0,8
R9
4
24

Giornata oro 11 × 60 cm
5902510807962

0,8
R9
4
24

Giornata sabbia 11 × 60 cm
5902510808006

0,8
R9
4
24

Giornata marrone 11 × 60 cm
5902510807986

0,8
R9
3
24

Packaging

Dimensions [cm]	11×60×0,8
Pieces in the box	11
m² in the box	0,72
Box weight [kg]	13,86

0,8 - tile thickness R9 - non-slip qualities 3 - abrasion class 24 - number of graphic patterns - textured surface

NEW

11 x 60

Design close to nature

NOTTA

It is more and more often that we invite nature into our interiors, as we believe that is has a positive impact on our mood.
The Notta collection offers various wood effects that suit almost every style.
Tiles imitating light, wooden parquet, classic wooden floors and dark-tinted exotic floors are one of the most popular elements of fashionable and original designs included in the Cerrad's collections.

- wall tile - floor tile - frost resistance - clinker tile - calibrated

FLOOR
NOTTA SAND 11x60

FLOOR
NOTTA ANTHRACITE 11x60



Notta white 11 × 60 cm
5902510808129

0,8
R9
4
18

Notta silver 11 × 60 cm
5902510808181

0,8
R9
4
18

Notta sand 11 × 60 cm
5902510808143

0,8
R9
4
18

Notta brown 11 × 60 cm
5902510808167

0,8
R9
3
18

Notta anthracite 11 × 60 cm
5902510808204

0,8
R9
3
18

Packaging

Dimensions [cm]	11×60×0,8
Pieces in the box	11
m² in the box	0,72
Box weight [kg]	13,86

0,8 - tile thickness R9 - non-slip qualities 3 - abrasion class 18 - number of graphic patterns - textured surface

11 x 60

Nature at sunset

TRAMONTO

The Tramonto collection tiles perfectly imitate the texture of wood and look as grand and noble as the classic parquet. In order to create an interior with a timeless style, cosy and unique, customers can select various colours from the Tramonto collection. Each tile has its unique graphic design that represents wood grain and structure, hence, tiles arranged together look like natural wooden boards, adding a new quality and style to any space.

- wall tile - floor tile - frost resistance - clinker tile - calibrated

FLOOR
TRAMONTO MARRONE 11x60



FLOOR
TRAMONTO BEIGE 11x60

WALL
TRAMONTO GRIGIO 11x60





WALL
TRAMONTO BIANCO 11x60
TACOMA SILVER 59,7x119,7
FLOOR
TRAMONTO BIANCO 11x60

WALL / FLOOR
TRAMONTO SABBIA 11x60

Tramonto bianco 11 × 60 cm
5902510808020

0,8
R9
4
24

Tramonto beige 11 × 60 cm
5902510808044

0,8
R9
4
24

Tramonto sabbia 11 × 60 cm
5902510808105

0,8
R9
4
24

Tramonto marrone 11 × 60 cm
5902510808068

0,8
R9
3
24



Tramonto grigio 11 × 60 cm
5902510808082

0,8
R9
3
24

Packaging

Dimensions [cm]	11×60×0,8
Pieces in the box	11
m² in the box	0,72
Box weight [kg]	13,86

- tile thickness - non-slip qualities - abrasion class - number of graphic patterns - textured surface

NEW

19,3 x 239,7
19,3 x 159,7
19,3 x 120,2

Charming in its simplicity

LIBERO

The Libero collection is the essence of elegance and simplicity. Combining the unique quality of wood with the exceptional durability and strength of porcelain stoneware has allowed us to create a collection that is perfect both for classic, warm interiors and for modern spaces. Light tones fit in well with minimalistic Scandinavian interior designs, while darker tones go exceptionally well with an industrial arrangement of the interior.

- wall tile - floor tile - frost resistance - porcelain tile - rectified tile - colour body

FLOOR
LIBERO MARRONE 19,3x159,7

FLOOR
LIBERO BEIGE 19,3x159,7

FLOOR
LIBERO BIANCO 19,3x120,2

NEW

0,6
R9
4
24

Libero bianco 19,3 × 120,2 cm
5903313316194

0,6
R9
4
24

Libero bianco 19,3 × 159,7 cm
5903313316279

0,6
R9
4
16

Libero bianco 19,3 × 239,7 cm
5903313316354

0,6
R9
4
24

Libero beige 19,3 × 120,2 cm
5903313316217

0,6
R9
4
24

Libero beige 19,3 × 159,7 cm
5903313316293

0,6
R9
4
16

Libero beige 19,3 × 239,7 cm
5903313316378

0,6
R9
4
24

Libero sabbia 19,3 × 120,2 cm
5903313316231

0,6
R9
4
24

Libero sabbia 19,3 × 159,7 cm
5903313316316

0,6
R9
4
16

Libero sabbia 19,3 × 239,7 cm
5903313316392

0,6
R9
3
24

Libero marrone 19,3 × 120,2 cm
5903313316255

0,6
R9
3
24

Libero marrone 19,3 × 159,7 cm
5903313316330

0,6
R9
3
16

Libero marrone 19,3 × 239,7 cm
5903313316415

Packaging

Dimensions [cm]	19,3×239,7×0,6	19,3×159,7×0,6	19,3×120,2×0,6
Pieces in the box	*	6	6
m² in the box	*	1,85	1,39
Box weight [kg]	*	27,4	20,6

* The tiles are packed in crates. More information available on a table, on page 178.

- tile thickness · R9 - non-slip qualities · - abrasion class · 24 - number of graphic patterns · - textured surface · - colour body

19,3 x 239,7
19,3 x 159,7
19,3 x 120,2

Raw elegance

NICKWOOD

Inspiration for the creation of the Nickwood collection comes from the beauty of natural wood. Tiles with a matt surface and a non-uniform structure are perfect imitation, and a modern interpretation of raw wood boards.
The special abrasion marks on the surface are also very characteristic for rough timber. They add originality and a unique effect to any interior.

- wall tile - floor tile - frost resistance - porcelain tile - rectified tile - colour body

FLOOR
NICKWOOD SABBIA 19,3x159,7

WALL
MASTERSTONE SILVER 119,7x279,7
FLOOR
NICKWOOD BIANCO 19,3x159,7

FLOOR
NICKWOOD BEIGE 19,3x159,7

WALL
SOFTCEMENT WHITE 119,7x279,7
FLOOR
NICKWOOD MARRONE 19,3x159,7

NEW

0,6 R9 4 24

Nickwood bianco 19,3 × 120,2 cm
5903313315951

0,6 R9 4 24

Nickwood bianco 19,3 × 159,7 cm
5903313316033

0,6 R9 4 16

Nickwood bianco 19,3 × 239,7 cm
5903313316118

0,6 R9 4 24

Nickwood beige 19,3 × 120,2 cm
5903313315975

0,6 R9 4 24

Nickwood beige 19,3 × 159,7 cm
5903313316057

0,6 R9 4 16

Nickwood beige 19,3 × 239,7 cm
5903313316132

0,6 R9 4 24

Nickwood sabbia 19,3 × 120,2 cm
5903313315999

0,6 R9 4 24

Nickwood sabbia 19,3 × 159,7 cm
5903313316071

0,6 R9 4 16

Nickwood sabbia 19,3 × 239,7 cm
5903313316156

0,6 R9 3 24

Nickwood marrone 19,3 × 120,2 cm
5903313316019

0,6 R9 3 24

Nickwood marrone 19,3 × 159,7 cm
5903313316095

0,6 R9 3 16

Nickwood marrone 19,3 × 239,7 cm
5903313316170

Packaging

Dimensions [cm]	19,3×239,7×0,6	19,3×159,7×0,6	19,3×120,2×0,6
Pieces in the box	*	6	6
m² in the box	*	1,85	1,39
Box weight [kg]	*	27,4	20,6

* The tiles are packed in crates. More information available on a table, on page 178.

- tile thickness · R9 - non-slip qualities · - abrasion class · 24 - number of graphic patterns · - textured surface · - colour body

19,3x 159,7
19,3 x 120,2
32 x 120,2/5
29,7 x 29,7

Versatile elegance

ACERO

Due to a wide range of colours and interesting textured surface, the Acero collection is a unique material for modern and classic arrangements.
High quality combined with great attention to detail provide a perfect alternative for traditional finishing materials and add a touch of freshness and surprise.

- wall tile · floor tile · frost resistance · porcelain tile · rectified tile · colour body

FLOOR
ACERO SABBIA 19,3x120,2



FLOOR
ACERO OCHRA 19,3x120,2

FLOOR
ACERO BIANCO 19,3x120,2

FLOOR
ACERO MARRONE 19,3x120,2

0,8
R10
4
24

Acero bianco 19,3 × 120,2 cm
5903313301084

0,8
R10
4
24

Acero bianco 19,3 × 159,7 cm
5903313314565

V-shape step tread

0,8
R9
4

Acero bianco 32 × 120,2/5 cm
5903313314114

Mosaic



0,8
R10

Acero bianco 29,7 × 29,7 cm
5903313303293

0,8
R10
4
24

Acero sabbia 19,3 × 120,2 cm
5903313301107

0,8
R10
4
24

Acero sabbia 19,3 × 159,7 cm
5903313314589

V-shape step tread

0,8
R9
4

Acero sabbia 32 × 120,2/5 cm
5903313314176

Mosaic

0,8
R10

Acero sabbia 29,7 × 29,7 cm
5903313303316

0,8
R10
4
24

Acero ochra 19,3 × 120,2 cm
5903313301121

0,8
R10
4
24

Acero ochra 19,3 × 159,7 cm
5903313314602

V-shape step tread

0,8
R9
4

Acero ochra 32 × 120,2/5 cm
5903313314152

Mosaic



0,8
R10

Acero ochra 29,7 × 29,7 cm
5903313303309

0,8
R10
3
24

Acero marrone 19,3 × 120,2 cm
5903313301145

0,8
R10
3
24

Acero marrone 19,3 × 159,7 cm
5903313314626

V-shape step tread

0,8
R9
4

Acero marrone 32 × 120,2/5 cm
5903313314138

Mosaic



0,8
R10

Acero marrone 29,7 × 29,7 cm
5903313303323

Packaging

Dimensions [cm]	19,3×159,7×0,8	19,3×120,2×0,8	32×120,2/5×0,8	29,7×29,7×0,8
Pieces in the box	5	5	2	5
m^2 in the box	1,54	1,16	-	-
Box weight [kg]	29,41	21,92	20	9

0,8 - tile thickness R10 - non-slip qualities - abrasion class 24 - number of graphic patterns - textured surface - colour body

19,3x 159,7
19,3 x 120,2
32 x 120,2/5
29,7 x 29,7

Modern by nature

TONELLA

A wood pattern and distinct texture are the main features of this collection.
Due to its original design and attractive colours, Tonella tiles fit into both modern, minimalist interiors and trendy vintage style designs.

- wall tile - floor tile - frost resistance - porcelain tile - rectified tile - colour body

FLOOR
TONELLA BROWN 19,3x120,2

WALL
TONELLA BEIGE 19,3x120,2
TONELLA BROWN 19,3x120,2
FLOOR
TONELLA BEIGE 19,3x120,2

FLOOR
TONELLA HONEY 19,3x120,2

0,8 R10 4 24

Tonella cream 19,3 × 120,2 cm
5903313301220

0,8 R10 4 24

Tonella cream 19,3 × 159,7 cm
5903313314640

V-shape step tread

0,8 R9 4

Tonella cream 32 × 120,2/5 cm
5903313314237

Mosaic

0,8 R10

Tonella cream 29,7 × 29,7 cm
5903313303330

0,8 R10 4 24

Tonella beige 19,3 × 120,2 cm
5903313301244

0,8 R10 4 24

Tonella beige 19,3 × 159,7 cm
5903313314664

V-shape step tread

0,8 R9 4

Tonella beige 32 × 120,2/5 cm
5903313314190

Mosaic

0,8 R10

Tonella beige 29,7 × 29,7 cm
5903313303347

0,8 R10 4 24

Tonella honey 19,3 × 120,2 cm
5903313301268

0,8 R10 4 24

Tonella honey 19,3 × 159,7 cm
5903313314688

V-shape step tread

0,8 R9 4

Tonella honey 32 × 120,2/5 cm
5903313314251

Mosaic



0,8 R10

Tonella honey 29,7 × 29,7 cm
5903313303354

0,8 R10 3 24

Tonella brown 19,3 × 120,2 cm
5903313301282

0,8 R10 3 24

Tonella brown 19,3 × 159,7 cm
5903313314701

V-shape step tread

0,8 R9 4

Tonella brown 32 × 120,2/5 cm
5903313314213

Mosaic



0,8 R10

Tonella brown 29,7 × 29,7 cm
5903313303361

Packaging

Dimensions [cm]	19,3×159,7×0,8	19,3×120,2×0,8	32×120,2/5×0,8	29,7×29,7×0,8
Pieces in the box	5	5	2	5
m^2 in the box	1,54	1,16	-	-
Box weight [kg]	29,41	21,92	20	9

- tile thickness R10 - non-slip qualities - abrasion class 24 - number of graphic patterns - textured surface - colour body

17 x 89,7

Sophistication with class

FUERTA

The Fuerta collection is the quintessence of simplicity and elegance.
These tiles will be perfect for Scandinavian-type kitchens, classic living rooms and bathrooms, where they can decorate the floors and shower walls in an unconventional way.

- wall tile - floor tile - frost resistance - porcelain tile - rectified tile

FLOOR
FUERTA HONEY 17x89,7

FLOOR
FUERTA SABBIA 17x89,7

WALL
FUERTA MARENGO 17x89,7
FLOOR
FUERTA MARENGO 17x89,7

WALL
FUERTA DUST 17x89,7
TASSERO BEIGE 29,7x59,7
FLOOR
FUERTA DUST 17x89,7

FLOOR
FUERTA MARRONE 17x89,7

0,8
R9
4
21

Fuerta dust 17 × 89,7 cm
5902510804664

0,8
R9
4
21

Fuerta honey 17 × 89,7 cm
5902510804640

0,8
R9
4
21

Fuerta marengo 17 × 89,7 cm
5902510804602



0,8
R9
4
21

Fuerta sabbia 17 × 89,7 cm
5902510804589

0,8
R9
3
21

Fuerta marrone 17 × 89,7 cm
5902510804626

Packaging

Dimensions [cm]	17×89,7×0,8
Pieces in the box	9
m^2 in the box	1,37
Box weight [kg]	24,8

0,8 - tile thickness R9 - non-slip qualities 3 - abrasion class 21 - number of graphic patterns

17 x 89,7



Peace and harmony

LAROYA

The Laroya tiles enchant us with their beautiful wood graining and original colour combinations. They will perfectly fit into rustic interiors where idyllic tranquility and harmony reign.

- wall tile · - floor tile · - frost resistance · - porcelain tile · - rectified tile

FLOOR
LAROYA DUST 17x89,7



FLOOR
LAROYA BROWN 17x89,7

WALL
LAROYA GRIS 17x89,7
CAMBIA BLACK 59,7x59,7

FLOOR
CAMBIA BLACK 59,7x59,7



0,8
R9
4
12

Laroya gris 17 × 89,7 cm
5902510804480

0,8
R9
3
12

Laroya brown 17 × 89,7 cm
5902510804503

0,8
R9
4
12

Laroya beige 17 × 89,7 cm
5902510804527

0,8
R9
4
12

Laroya dust 17 × 89,7 cm
5902510804565

0,8
R9
4
12

Laroya desert 17 × 89,7 cm
5902510804541

Packaging

Dimensions [cm]	17×89,7×0,8
Pieces in the box	9
m² in the box	1,37
Box weight [kg]	24,8

- tile thickness · R9 - non-slip qualities · - abrasion class · 12 - number of graphic patterns · - textured surface

19,3 x 120,2

Subtle beauty

WESTWOOD

The Westwood collection is subtle and classy. It will perfectly fit into minimalist interiors complemented by snow white furniture, glass accessories and cosy home décor fabrics.

- wall tile · - floor tile · - frost resistance · - porcelain tile · - rectified tile · - colour body

FLOOR
WESTWOOD GRAFIT 19,3x120,2

FLOOR
WESTWOOD BIANCO 19,3x120,2

WALL / FLOOR
WESTWOOD BROWN 19,3x120,2

FLOOR
WESTWOOD OCHRA 19,3x120,2

FLOOR
WESTWOOD MIST 19,3x120,2

Westwood bianco 19,3 × 120,2 cm
5903313301503

0,8
R9
4
15

Westwood desert 19,3 × 120,2 cm
5903313301480

0,8
R9
4
15

Westwood grafit 19,3 × 120,2 cm
5903313301565

0,8
R9
3
15

Westwood mist 19,3 × 120,2 cm
5903313301466

0,8
R9
4
15

Westwood ochra 19,3 × 120,2 cm
5903313301527

0,8
R9
4
15

Westwood brown 19,3 × 120,2 cm
5903313301541

0,8
R9
3
15

Packaging

Dimensions [cm]	19,3×120,2×0,8
Pieces in the box	5
m² in the box	1,16
Box weight [kg]	21,92

- tile thickness · R9 - non-slip qualities · - abrasion class · 15 - number of graphic patterns · - textured surface · - colour body

29,7 x 120,2
19,3 x 120,2
32 x 120,2/5
29,7 x 29,7

Inspired by nature

MATTINA

Mattina's characteristic features are beautiful colours and distinct graining which will add charm and elegance to classic arrangements.
The innovative V-shape step tread makes it possible to design an impressive multilevel space.

- wall tile · - floor tile · - frost resistance · - porcelain tile · - rectified tile

FLOOR
MATTINA SABBIA 29,7x120,2

FLOOR
MATTINA MARRONE 29,7x120,2 / 19,3x120,2

FLOOR
MATTINA BIANCO 29,7x120,2



WALL
MATTINA BEIGE MOSAIC 29,7x29,7
TASSERO GRIS LAPPATO 59,7x59,7
FLOOR
TASSERO GRIS LAPPATO 59,7x59,7

WALL
MATTINA MARRONE MOSAIC 29,7x29,7
FLOOR
ACERO SABBIA 19,3x120,2



FLOOR
MATTINA BEIGE 19,3x120,2
MATTINA BEIGE V-SHAPE 32x120,2

FLOOR
MATTINA BEIGE 29,7x120,2

FLOOR
MATTINA GRIGIO 19,3x120,2

FLOOR
MATTINA BEIGE 19,3x120,2

FLOOR
MATTINA SABBIA 29,7x120,2
MATTINA SABBIA V-SHAPE 32x120,2



FLOOR
MATTINA GRIGIO 29,7x120,2

0,8
R9
4
12

Mattina sabbia 19,3 × 120,2 cm
5901779379388

0,8
R9
4
8

Mattina sabbia 29,7 × 120,2 cm
5902510801793

V-shape step tread

0,8
R9
5

Mattina sabbia 32 × 120,2/5 cm
5902510801557

0,8
R9
3
12

Mattina marrone 19,3 × 120,2 cm
5901779379425

0,8
R9
3
8

Mattina marrone 29,7 × 120,2 cm
5902510801830

V-shape step tread

0,8
R9
4

Mattina marrone 32 × 120,2/5 cm
5902510801571

0,8
R11
4
12

Mattina R11 sabbia 19,3 × 120,2 cm
5903313304245

Mosaic

0,8
R10

Mattina sabbia 29,7 × 29,7 cm
5902510806897

1
R11
3
12

Mattina R11 marrone 19,3 × 120,2 cm
5903313304283

Mosaic

0,8
R10

Mattina marrone 29,7 × 29,7 cm
5902510806927

0,8 - tile thickness | R9 - non-slip qualities | 3 - abrasion class | 12 - number of graphic patterns | - textured surface

0,8 R9 4 12

Mattina grigio 19,3 × 120,2 cm
5901779379401

0,8 R9 4 8

Mattina grigio 29,7 × 120,2 cm
5902510801816

V-shape step tread

0,8 R9 4

Mattina grigio 32 × 120,2/5 cm
5902510801717

0,8 R9 4 12

Mattina beige 19,3 × 120,2 cm
5901779379364

0,8 R9 4 8

Mattina beige 29,7 × 120,2 cm
5902510801779

V-shape step tread

1 R9 4

Mattina beige 32 × 120,2/5 cm
5902510801694

1 R11 4 12

Mattina R11 grigio 19,3 × 120,2 cm
5903313304269

Mosaic

0,8 R10

Mattina grigio 29,7 × 29,7 cm
5902510806903

1 R11 4 12

Mattina R11 beige 19,3 × 120,2 cm
5903313304221

Mosaic

0,8 R10

Mattina beige 29,7 × 29,7 cm
5902510806880

0,8 R9 4 12

Mattina bianco 19,3 × 120,2 cm
5901779379449

0,8 R9 4 8

Mattina bianco 29,7 × 120,2 cm
5902510801854

V-shape step tread

0,8 R9 5

Mattina bianco 32 × 120,2/5 cm
5902510801595

1 R11 4 12

Mattina R11 bianco 19,3 × 120,2 cm
5903313304306

Mosaic

0,8 R10

Mattina bianco 29,7 × 29,7 cm
5902510806910

Packaging

Dimensions [cm]	29,7×120,2×0,8	19,3×120,2×1	19,3×120,2×0,8	32×120,2/5×1	32×120,2/5×0,8	29,7×29,7×0,8
Pieces in the box	4	6	5	2	2	5
m^2 in the box	1,43	1,39	1,16	-	-	-
Box weight [kg]	26,7	30,6	21,92	20	20	7,2

- tile thickness R9 - non-slip qualities - abrasion class 12 - number of graphic patterns - textured surface

29,7 x 120,2
19,3 x 120,2
32 x 120,2/5
29,7 x 29,7

Tradition and modernity

CORTONE

The Cortone collection is a proposal for those who would like to combine tradition with modernity. The tiles laid in a traditional manner would form a perfect background for elegant furniture and muted decors.

- wall tile · floor tile · frost resistance · porcelain tile · rectified tile

FLOOR
CORTONE CREMA 19,3x120,2

FLOOR
CORTONE MARRONE 29,7x120,2

FLOOR
CORTONE MARRONE 19,3x120,2



WALL
CORTONE MARRONE MOSAIC 29,7x29,7

FLOOR
MONTEGO DUST 79,7x79,7

FLOOR
CORTONE CREMA 19,3x120,2
CORTONE CREMA V-SHAPE 32x120,2

0,8
R9
4
12

Cortone crema 19,3 × 120,2 cm
5901779379463

0,8
R9
4
8

Cortone crema 29,7 × 120,2 cm
5902510801878

V-shape step tread

0,8
R9
5

Cortone crema 32 × 120,2/5 cm
5902510801618

Mosaic

0,8
R10

Cortone crema 29,7 × 29,7 cm
5902510807016

0,8
R9
4
12

Cortone grigio 19,3 × 120,2 cm
5901779379487

0,8
R9
4
8

Cortone grigio 29,7 × 120,2 cm
5902510801892

V-shape step tread

0,8
R9
4

Cortone grigio 32 × 120,2/5 cm
5902510801731

Mosaic

0,8
R10

Cortone grigio 29,7 × 29,7 cm
5902510807023

0,8
R9
3
12

Cortone marrone 19,3 × 120,2 cm
5901779379500

0,8
R9
3
8

Cortone marrone 29,7 × 120,2 cm
5902510801915

V-shape step tread

0,8
R9
4

Cortone marrone 32 × 120,2/5 cm
5902510801755

Mosaic

0,8
R10

Cortone marrone 29,7 × 29,7 cm
5902510807030

Packaging

Dimensions [cm]	29,7×120,2×0,8	19,3×120,2×0,8	32×120,2/5×0,8	29,7×29,7×0,8
Pieces in the box	4	5	2	5
m^2 in the box	1,43	1,16	-	-
Box weight [kg]	26,7	21,92	20	7,2

- tile thickness R9 - non-slip qualities - abrasion class 12 - number of graphic patterns - textured surface

17,5 x 90



Freedom of design

CATALEA

A wide range of colours of the Catalea collection will give you freedom of design. The tiles laid in a traditional way will be perfect for minimalist spaces and the herringbone pattern will underline the rustic interior design.

- wall tile - floor tile - frost resistance - porcelain tile - calibrated

FLOOR
CATALEA HONEY 17,5x90

WALL
CATALEA DESERT 17,5x90
FLOOR
CATALEA DESERT 17,5x90

FLOOR
CATALEA DUST 17.5x90

FLOOR
CATALEA BEIGE 17,5x90

FLOOR
CATALEA NUGAT 17,5x90



FLOOR
CATALEA BROWN 17,5x90

0,8
R9
5
15

Catalea bianco 17,5 × 90 cm
5901779377124

0,8
R9
4
15

Catalea gris 17,5 × 90 cm
5901779377209

0,8
R9
4
15

Catalea dust 17,5 × 90 cm
5901779377186

0,8
R9
3
15

Catalea nugat 17,5 × 90 cm
5901779377261

0,8
R9
4
15

Catalea desert 17,5 × 90 cm
5901779377148

0,8
R9
4
15

Catalea honey 17,5 × 90 cm
5901779377162

0,8
R9
4
15

Catalea beige 17,5 × 90 cm
5901779377223

0,8
R9
3
15

Catalea brown 17,5 × 90 cm
5901779377247

Packaging

Dimensions [cm]	17,5×90×0,8
Pieces in the box	9
m² in the box	1,42
Box weight [kg]	25,7

0,8 - tile thickness R9 - non-slip qualities 4 - abrasion class 15 - number of graphic patterns - textured surface

17,5 x 60

Classy interior

LUSSACA

The collection Lussaca was inspired by a traditional floorboard, with its distinct style and natural colour. Such a combination allows to create a warm and cosy atmosphere in the designed interior.

- wall tile - floor tile - frost resistance - clinker tile - calibrated

FLOOR
LUSSACA DUST 17,5x60

FLOOR
LUSSACA NUGAT 17,5x60

FLOOR
LUSSACA NATURA 17,5x60

0,8
R9
4
18

Lussaca natura 17,5 × 60 cm
5901779374437

0,8
R9
4
18

Lussaca sabbia 17,5 × 60 cm
5901779374413

0,8
R9
4
18

Lussaca dust 17,5 × 60 cm
5901779374390

0,8
R9
3
18

Lussaca nugat 17,5 × 60 cm
5901779374451

Packaging

Dimensions [cm]	17,5×60×0,8
Pieces in the box	10
m² in the box	1,05
Box weight [kg]	19,25

- tile thickness R9 - non-slip qualities - abrasion class 18 - number of graphic patterns

17,5 x 60

Power of natural colours

MUSTIQ

The Mustiq collection combines the charm of wood with colours of the soil.
Light shades of the tiles will add warmth to every interior by creating a cosy atmosphere of the designed interiors.

- wall tile - floor tile - frost resistance - clinker tile - calibrated

FLOOR
MUSTIQ BEIGE 17,5x60

FLOOR
MUSTIQ DESERT 17,5x60

FLOOR
MUSTIQ HONEY 17,5x60

0,8
R9
4
24

Mustiq desert 17,5 × 60 cm
5901779374376

0,8
R9
4
24

Mustiq beige 17,5 × 60 cm
5901779374338

0,8
R9
4
24

Mustiq honey 17,5 × 60 cm
5901779374314

0,8
R9
4
24

Mustiq brown 17,5 × 60 cm
5901779374352

Packaging

Dimensions [cm]	17,5×60×0,8
Pieces in the box	10
m² in the box	1,05
Box weight [kg]	19,25

- tile thickness R9 - non-slip qualities - abrasion class 24 - number of graphic patterns

17,5 x 60

The charm of fine wood

TILIA

The Tilia collection has been created with a view to unconventional architectural solutions. It will fit both into a vintage style and modern interiors and underline the unique character of the designed space.

- wall tile - floor tile - frost resistance - porcelain tile - calibrated

FLOOR
TILIA DESERT 17,5x60

FLOOR
TILIA MAGMA 17,5x60



FLOOR
TILIA MIST 17,5x60

0,8
R9
4
30

Tilia dust 17,5 × 60 cm
5901779375731

0,8
R9
4
30

Tilia desert 17,5 × 60 cm
5901779375694

0,8
R9
4
34

Tilia mist 17,5 × 60 cm
5901779375717

0,8
R9
3
36

Tilia magma 17,5 × 60 cm
5901779375656

0,8
R9
3
34

Tilia steel 17,5 × 60 cm
5901779375670

Packaging

Dimensions [cm]	17,5×60×0,8
Pieces in the box	10
m² in the box	1,05
Box weight [kg]	18,81

- tile thickness R9 - non-slip qualities - abrasion class 30 - number of graphic patterns - textured surface

17,5 x 60

Colour creates atmosphere

SETIM

The warm shades of the Setim collection will bring a cosy feel to the interior.
A wide range of "patterns" and inspirations drawn from nature will allow to create unusual arrangements, both for floors and walls.

- wall tile - floor tile - frost resistance - porcelain tile - calibrated

FLOOR
SETIM HONEY 17,5x60

FLOOR
SETIM NUGAT 17,5x60

FLOOR
SETIM NUGAT 17,5x60



FLOOR
SETIM MIST 17,5x60

FLOOR
SETIM DESERT 17,5x60

0,8
R9
4
20

Setim desert 17,5 × 60 cm
5901779375274

0,8
R9
4
20

Setim mist 17,5 × 60 cm
5901779375298

0,8
R9
4
20

Setim honey 17,5 × 60 cm
5901779375212

0,8
R9
3
20

Setim nugat 17,5 × 60 cm
5901779375250

Packaging

Dimensions [cm]	17,5×60×0,8
Pieces in the box	10
m² in the box	1,05
Box weight [kg]	19,5

- tile thickness R9 - non-slip qualities - abrasion class 20 - number of graphic patterns

17,5 x 60

Space with character

CELTIS

The Celtis collection was inspired by rustic floorboards. No matter what colour you choose, its unique design will add a touch of dynamics to every space – both inside and outside the house.

- wall tile - floor tile - frost resistance - porcelain tile - calibrated

FLOOR
CELTIS DUST 17,5x60

WALL
CELTIS NUGAT 17,5x60
FLOOR
CELTIS NUGAT 17,5x60

FLOOR
CELTIS HONEY 17,5x60

FLOOR
CELTIS DUST 17,5x60

0,8
R9
5
10

Celtis dust 17,5 × 60 cm
5901779375199



0,8
R9
4
10

Celtis honey 17,5 × 60 cm
5901779375175

0,8
R9
3
10

Celtis nugat 17,5 × 60 cm
5901779375236

Packaging

Dimensions [cm]	17,5×60×0,8
Pieces in the box	10
m² in the box	1,05
Box weight [kg]	19,5

0,8 - tile thickness R9 - non-slip qualities 3 - abrasion class 10 - number of graphic patterns

V-SHAPE

V-shaped tiles – curved step treads are manufactured using the innovative double firing method, which makes them even more resistant to external conditions. Additionally, we have reinforced the strategic points of the tile with a special composite which fills the grooves on the back side of the tile. The V-shape series complements our range of floor tiles.

SIMPLIFIED INSTRUCTIONS

Before starting to install curved step treads, it is important to prepare the appropriate substrate, backing and insulation layers. During the installation of our products use selected and high performance materials. Flexible adhesives for frost resistant tiles, flexible sealants for expansion joints and flexible grouts should be used. This applies particularly to outdoor installation of the tiles.

Following the installation instructions and material-related guidelines guarantees many years of trouble-free use. It is possible to use our products on stairs or roofed/open-air terraces, where surfaces are exposed to precipitation, temperature fluctuations and mechanical stress.

When installed properly, our tiles guarantee safe usage on both stairs and terraces.

01

Proper preparation of the substrate

Requirements – the substrate should be level, stable, dry and free of dirt. In order to improve adhesion it may be necessary to prime it (it is particularly important in case of absorbent surfaces). For outdoor applications, it is also important to insulate the substrate against moisture. We recommend solutions suggested by the construction chemicals manufacturer.

02

Bonding

Apply the adhesive to the prepared substrate. We recommend class C2 tile adhesive, with enhanced adhesion and flexibility parameters. It is also important to make at least a 2% slope towards the drainage direction, which is crucial in outdoor applications. Spread the mortar to cover the tile adhesive surface and the substrate.

03



Cut and fitted elements

Prepare the riser (cut properly from the base tile). For the step tread bend (at the edge of the step), use durable elastic material of equal thickness (2–5 mm). See Figure 4.

04

Durable elastic materials

Durable elastic materials, such as polyurethane compounds used to fill expansion joints, eliminate the potential forces and movements that result from the natural thermal expansion of various building materials.

05

Installation instructions

Both the stair tread tile and the riser should be coated with the adhesive. It is also necessary to fill the bend of the stair tread nose with adhesive, before bonding.
The recommended sequence is first to install the stair tread tile, followed by the riser tile.

06



Grouting

Repeat the above steps while installing the remaining step treads. Grout the tiles once the mortar has set. The recommended flexible grout gap is min. 5 mm.

DIMENSIONS AND PACKAGING

	Dimensions [cm]	Pieces in the box	m^2 in the box	Packaging weight [kg]	m^2 / pcs on a pallet	Boxes on a pallet	Pallet weight [kg]	Frost resistance
CURVED STEP TREAD (V-SHAPE)	32x120,2/5x0,8	2	—	20,00	32 pcs	16	320	✓
CALIBRATED TILE	11x60x0,8	11	0,72	13,86	57,6	80	1108	✓
	17,5x60x0,8	10	1,05	19,25	67,20	64	1232	
	17,5x80x0,8	10	1,40	27,00	67,20	48	1296	
	17,5x90x0,8	9	1,42	25,70	59,64	42	1079	
RECTIFIED TILE	17x89,7x0,8	9	1,37	24,80	57,54	42	1041	✓
	19,3x120,2x0,6	6	1,39	20,60	66,72	48	988	
	19,3x120,2x0,8	5	1,16	21,92	55,68	48	1052	
	19,3x120,2x1	6	1,39	30,60	50,04	36	1101	
	29,7x120,2x0,8	4	1,43	26,70	57,20	40	1068	
	19,3x159,7x0,6	6	1,85	27,40	59,20	32	876	
	19,3x159,7x0,8	5	1,54	29,41	49,28	32	941	
MOSAIC	29,7x29,7x0,8	5	—	9,00	240 pcs	48	432	✓

	Dimensions [cm]	Pieces on a pallet	m^2 on a pallet	Pallet weight [kg]	Pallet dimensions [mm]	Frost resistance
RECTIFIED TILE	19,3x239,7x0,6	150	69	1120	2600x1300x380	✓



This catalogue does not constitute an offer as defined in the Civil Code provisions. The actual appearance of tiles may differ from that presented in the pictures contained herein.

All rights reserved © CERRAD Sp. z o.o. 2021.

HELD CERTIFICATES: compliance with PN-EN 14411:2013-04; for safety B ; EN ISO 9001; EN ISO 14001.

TECHNICAL PROPERTIES AND STANDARDS

VALUES ACCORDING TO THE STANDARD
PN - EN 14411:2013-04 ANNEX H AND DECLARED – CLINKER
PN - EN 14411:2013-04 ANNEX G AND DECLARED – PORCELAIN TILE

DIMENSIONS AND SURFACE FLATNESS		NOMINAL DIMENSION N	
		7 cm ≤ N < 15	N ≥ 15 cm
tests according to PN-EN ISO 10545-2	length	± 0,9 mm	± 0,6% and max ± 2,0 mm
	width	± 0,9 mm	± 0,6% and max ± 2,0 mm
	thickness	± 0,5 mm	± 5% and max ± 0,5 mm
	deflection from the straight angle	± 0,75 mm	± 0,5% and max ± 2,0 mm
	surface flatness	± 0,75 mm	± 0,5% and max ± 2,0 mm

		PN – EN 14411:2013-04 ANNEX H and declared		PN – EN 14411:2013-04 ANNEX G and declared	
	PHYSICAL PROPERTIES	REQUIREMENTS	MEAN VALUE ACHIEVED	REQUIREMENTS	MEAN VALUE ACHIEVED
	Water absorption, tests according to PN-EN ISO 10545-3	0,5% < E ≤ 3%	0,5% < E ≤ 2,6%	E ≤ 0,5%	0,05% – 0,10%
	Breaking force, tests according to PN-EN ISO 10545-4	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1100 N	850 N 2000 N	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1300 N	1300-1500 N 2000-2200 N
	Flexural strength, tests according to PN-EN ISO 10545-4	> 30 N/mm²	≥ 38 N/mm²	> 35 N/mm²	40-50 N/mm²
	Abrasion resistance, tests according to PN-EN ISO 10545-7	according to the manufacturer's declaration	cl. 3 – 4	according to the manufacturer's declaration	cl. 3 – 5
	Frost resistance, tests according to PN-EN ISO 10545-12	required	resistant	required	resistant
	Chemical resistance, tests according to PN-EN ISO 10545-13, – to acids and bases of low concentration, – to acids and bases of high concentration, – to household agents/water pool salts	according to the manufacturer's classification – min. B	– LA – HA – A	according to the manufacturer's classification – min. B	– LA – HA – A
	Non-slip qualities, tests according to DIN 51130 + complementary procedures	according to the manufacturer's declaration	smooth and rustic surface – R9 – R10	according to the manufacturer's declaration	smooth and rustic surface – R9 – R11
	Release of lead and cadmium PN-EN ISO 10545-15	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm³ Cadmium < 0,02 mg/dm³	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm³ Cadmium < 0,02 mg/dm³
	Natural radioactivity ITB 455/2010	no requirements	below regulatory safety limits	no requirements	below regulatory safety limits
	Resistance to staining PN-EN ISO 10545-14	min. 3 cl.	cl. 5	min. 3 cl. (GL)	cl. 5
	Crazing resistance, tests according to PN-EN ISO 10545-11	required	resistant	required	resistant
	Thermal shock resistance, test according to PN-EN ISO 10545-9	required	resistant	required	resistant

NOTES

NOTES

NOTES

NOTES

CERRAD Ltd.
Radomska Street 49 B
27-200 Starachowice, Poland
phone +48 800 237 723
office@cerrad.com
www.cerrad.com