

**NEW COLLECTIONS**

2020





## Table of contents

**NICKWOOD** p. 6

**LIBERO** p. 18

**GIORNATA** p. 30

**NOTTA** p. 40

**TRAMONTO** p. 48

**MASTERSTONE** p. 62

**CALACATTA WHITE** p. 76

**CALACATTA GOLD** p. 84

**MARQUINA GOLD** p. 90

**SOFTCEMENT** p. 100

# WOOD

Inspiration

## Unique style in harmony with nature

Nothing is more soothing to our mind than the colors and textures taken from the world of nature. This is because what is best is reflected in nature. When creating the collection of wood-like tiles, we focused on the combination of beauty and uniqueness of wood with durability and strength of porcelain stoneware and clinker tiles. The new collections amaze with their colors and structure, creating a unique mood in every interior.

They are an exceptional material both for modern and classic concepts.

Thanks to the digital print technology, the fine grain texture of wood has been reflected with extraordinary craftsmanship. The tiles can successfully replace wood, while keeping their warm material for both modern and classic concepts.

4

5





Raw elegance

# NICKWOOD

Inspiration for the creation of the Nickwood collection comes from the beauty of natural wood. Tiles with a matte surface and a non-uniform structure are perfect imitation, and a modern interpretation of raw wood boards. The special abrasion marks on the surface are also very characteristic for rough timber. They add originality and a unique effect to any interior.

**COLORS**

bianco  
beige  
sabbia  
marrone

**SIZES**

8" x 96"  
8" x 64"  
8" x 48"



# NICKWOOD

beige

The Nickwood tiles are great for any interior.  
They allow us to enjoy the effect of a wooden  
floor in kitchens and bathrooms.



10



Dark wood is always a strong accent when it comes to interior design.  
Dark colors are not only elegant and stylish, but they also add depth  
to any arrangement. Nickwood tiles in brown shades catch the eye  
and remain timeless.

 CERRAD

Wood | NICKWOOD

11

**NICKWOOD**  
marrone



12

**NICKWOOD**  
marrone

This collection is perfect for both warm, classic interiors as well as for modern spaces. Inspired by nature, it makes the Nickwood wood-like tiles a perfect basis for various arrangement styles.



13

They blend extremely well into both rustic and modern interiors.  
The final look is determined by selected decorations.



**NICKWOOD** sabbia

## Nickwood

bianco

8" x 96"  
| 46118

16

8" x 64"  
| 46033

16

16

16

beige

8" x 96"  
| 46132

16

8" x 64"  
| 46057

16

16

16

sabbia

8" x 96"  
| 46156

16

8" x 64"  
| 46071

16

16

16

marrone

8" x 96"  
| 46170

17

8" x 64"  
| 46095

17

17

17

17

### Packaging

Pieces in the box

8" x 48" x 0.24"    8" x 64" x 0.24"    8" x 96" x 0.24"

6                 6                 \*

ft<sup>2</sup> in the box

14.96            19.91           \*

Box weight [lb]

45.41            60.40           \*

\* The tiles are packed in crates. More information available on a table, on page 114.

☒ - tile thickness

☒ R9 - non-slip qualities

PEI - abrasion class

☒ 15 - number of graphic patterns

☒ - color body

☒ - textured surface



Charming in its simplicity

# LIBERO

The Libero collection is the essence of elegance and simplicity. Combining the unique quality of wood with the exceptional durability and strength of porcelain stoneware has allowed us to create a collection that is perfect both for classic, warm interiors and for modern spaces. Light tones fit in well with minimalistic Scandinavian interior designs, while darker tones go exceptionally well with an industrial arrangement of the interior.



## COLORS

bianco  
beige  
sabbia  
marrone

## SIZES

8" x 96"  
8" x 64"  
8" x 48"

■ wall tile    □ floor tile    ▲ color body    ■ frost resistance  
===== rectified tile    ===== matte surface    ▲ porcelain tile


**LIBERO**  
bianco

The Libero collection tiles with intense saturation add dynamic and elegant qualities to the interior. Calm, light tones shroud the space with subtleness.



Light wood is a compromise that is attractive to customers looking for universal materials. Tiles in subtle brown colors fit any style and color design and are a perfect match for various materials and additions.

22



23

**LIBERO** beige



Classic styling will never go out of fashion and can still be light and modern. In order to ensure the timeless character of the interiors, customers can choose the marrone tint from the Libero collection.





**LIBERO**  
sabbia

26

The Libero sabbia or Libero beige tiles can be adapted to the preferred style – they look great with classic, modern, Scandinavian and rustic solutions. Such floors are also a solid basis for arrangements inspired by the vintage or Hampton style.

 **CERRAD**

27

Wood | LIBERO





30

31

# GIORNATA

Nature in daylight

The Giornata collection of tiles is reminiscent of wooden parquets covered with sun rays. A wide range of colors and an interesting texture make the tiles an exceptional material for both modern and classic concepts.

The unique graphical style of the tiles means that the final surface looks exactly like natural wood.

## COLORS

bianco  
sabbia  
oro  
grigio  
marrone

## SIZES

5" x 24"

wall tile    floor tile    frost resistance    clinker tile  
calibrated    matte surface    textured surface



Simple solutions and inspiration from nature itself mean that these small ceramic tiles fit perfectly into any interior, making it your favourite spot in the house.






34

**GIORNATA** oro

35

36

**GIORNATA** grigio

37

**Giornata**

bianco

5" x 24"  
| 17924

0.31"  
 R9  
 PEI   
 24



oro

5" x 24"  
| 17962

0.31"  
 R9  
 PEI   
 24



marrone

5" x 24"  
| 17986

0.31"  
 R9  
 PEI   
 24



sabbia

5" x 24"  
| 18006

0.31"  
 R9  
 PEI   
 24



grigio

5" x 24"  
| 17948

0.31"  
 R9  
 PEI   
 24

**Packaging**

Pieces in the box  
 ft<sup>2</sup> in the box  
 Box weight [lb]

5" x 24" x 0.31"  
 11  
 7.75  
 35.22

- tile thickness

R9 - non-slip qualities

PEI - abrasion class

24 - number of graphic patterns

- textured surface

**COLORS**

white  
sand  
silver  
brown  
anthracite

**SIZES**

5" x 24"

wall tile    floor tile    frost resistance    clinker tile  
calibrated    matte surface    textured surface



**NOTTA** sand

42

Tiles from the Notta collection arranged in the classic style are the best solution for minimalist spaces, while a herringbone arrangement emphasises the rustic style of interiors.



43



It is worth choosing enigmatic and original compositions.  
Dark wood combined with grey tints looks very fashionable  
and modern, which makes it perfect for lofts and industrial spaces.

**NOTTA**  
anthracite

**Notta**

white

5" x 24"  
| 18129

0.31"  
 R9  
 PEI   
 18



sand

5" x 24"  
| 18143


0.31"  
 R9  
 PEI   
 18



anthracite

5" x 24"  
| 18204

0.31"  
 R9  
 PEI   
 18



brown

5" x 24"  
| 18167

0.31"  
 R9  
 PEI   
 18



silver

5" x 24"  
| 18181

0.31"  
 R9  
 PEI   
 18

**Packaging**

5" x 24" x 0.31"

Pieces in the box	11
ft <sup>2</sup> in the box	7.75
Box weight [lb]	35.22

- tile thickness

R9 - non-slip qualities

PEI - abrasion class

18 - number of graphic patterns

- textured surface

Nature at sunset

# TRAMONTO

The Tramonto collection tiles perfectly imitate the texture of wood and look as grand and noble as the classic parquet. In order to create an interior with a timeless style, cosy and unique, customers can select various colors from the Tramonto collection. Each tile has its unique graphic design that represents wood grain and structure; hence, tiles arranged together look like natural wooden boards, adding a new quality and style to any space.



## COLORS

bianco  
beige  
sabbia  
grigio  
marrone

## SIZES

5" x 24"

wall tile    floor tile    frost resistance    clinker tile  
calibrated    matte surface    textured surface



**TRAMONTO**  
bianco





52

 CERRAD

53

**TRAMONTO**  
marrone



**TRAMONTO** sabbia





56



57

**TRAMONTO**  
beige

**Tramonto**

bianco

5" x 24"  
| 18020

0.31"  
 R9  
 PEI   
 24



sabbia

5" x 24"  
| 18105

0.31"  
 R9  
 PEI   
 24



grigio

5" x 24"  
| 18082

0.31"  
 R9  
 PEI   
 24



beige

5" x 24"  
| 18044

0.31"  
 R9  
 PEI   
 24



marrone

5" x 24"  
| 18068

0.31"  
 R9  
 PEI   
 24

**Packaging**

5" x 24" x 0.31"

Pieces in the box

11

ft<sup>2</sup> in the box

7.75

Box weight [lb]

35.22

- tile thickness

R9 - non-slip qualities

PEI - abrasion class

24 - number of graphic patterns

- textured surface



# MARBLE

Inspiration

## In great style

In the past, marble was exclusively used in the interiors of stately homes and other such privileged places. Today, marble suits any style and interior type, and our porcelain stoneware tiles are a lovely representation of this natural design, and each day they are more and more desired by fans of elegant, timeless spaces, arranged with a subtle hint of the latest trends.



# MASTERSTONE

Timeless elegance

Masterstone is a guarantee of elegance, style and unconventional solutions in any interior. Inspired by the Fior Di Bosco stone, this collection of porcelain stoneware tiles combines the elegance of stone with a subtle pattern of metamorphic rocks. Thanks to this creative combination, one can create an elegant space attractive to every luxury lover.



## COLORS

white  
silver  
graphite

## SIZES

48" x 110"  
48" x 48"  
24" x 48"  
12" x 48"  
24" x 24"



# MASTERSTONE

white



The diversity and beauty of the Masterstone collection means that it can be used in all interiors – modern, industrial, contemporary, minimalist or even vintage or classic ones. The tiles create an elegant and sublime arrangement.



Marble looks beautiful in modern interiors  
and is a perfect background for simple forms  
of furniture and decor.

66



**MASTERSTONE**  
silver

67

# MASTERSTONE

graphite



Ceramic tiles inspired by stone patterns add decoration to any style of bathroom. The versatility and timeless character of this material make it perfect in almost all arrangements: from minimalist to luxurious ones.



# Masterstone

white - matte

48" x 48"

| 45654



0.31"  
R9  
PEI ●●●○  
12

48" x 110"

| 45838



0.24"  
R9  
PEI ●●●○  
4

24" x 48"

| 45470



0.31"  
R9  
PEI ●●●○  
24

12" x 48"

| 44978



0.31"  
R9  
PEI ●●●○  
48

24" x 24"

| 45272



0.31"  
R9  
PEI ●●●○  
48

mosaic

12" x 12"

| 39553



0.31"  
R10  
PEI ●●●○

baseboard

3" x 24"

| 39379



0.31"

decor

geo

waves

12" x 48"

| 45005



0.31"  
R9  
PEI ●●●○  
12

0.31"  
R9  
PEI ●●●○  
12

0.31"  
R9  
PEI ●●●○  
12

white - polished

48" x 48"

| 47085



0.31"  
R10  
PEI ●●●○

24" x 48"


| 46705



0.31"  
R10  
PEI ●●●○

12" x 48"

| 47269




0.31"  
R10  
PEI ●●●○

mosaic

12" x 12"

| 39645



0.31"  
R10  
PEI ●●●○

baseboard

3" x 24"

| 39461



0.31"

decor

geo

waves

12" x 48"

| 47290



0.31"  
R10  
PEI ●●●○

0.31"  
R10  
PEI ●●●○

0.31"  
R10  
PEI ●●●○

48" x 110"

| 47566



0.24"  
R10  
PEI ●●●○  
4

0.24"  
R10  
PEI ●●●○  
4

0.24"  
R10  
PEI ●●●○  
4

Packaging

3" x 24" x 0.31" 12" x 12" x 0.31" 24" x 24" x 0.31" 12" x 48" x 0.31" 24" x 48" x 0.31" 48" x 48" x 0.31" 48" x 110" x 0.24"

Pieces in the box

8

5

4

4

2

1

\*

ft<sup>2</sup> in the box

-

-

15.39

15.28

15.39

15.39

\*

Box weight [lb]

16.53

20.17

60.18

59.74

60.20

60.20

\*

0.31" - tile thickness

R9 - non-slip qualities

PEI - abrasion class

15 - number of graphic patterns

\* The tiles are packed in crates. More information available on a table, on page 114.

# Masterstone

silver - matte

48" x 48"

| 45678



0.31"  
R9  
PEI ●●●●○  
12

48" x 110"

| 45852



0.24"  
R9  
PEI ●●●●○  
4

24" x 48"

| 45494



0.31"  
R9  
PEI ●●●●○  
24

12" x 48"

| 45012



0.31"  
R9  
PEI ●●●●○  
24

24" x 24"

| 45296



0.31"  
R9  
PEI ●●●●○  
48

mosaic

12" x 12"

| 39560




0.31"  
R10  
PEI ●●●●○

silver - polished

48" x 48"

| 47108



0.31"  
R9  
PEI ●●●●○  
12

24" x 48"

| 46729



0.31"  
R9  
PEI ●●●●○  
12

12" x 48"

| 47306



0.31"  
R9  
PEI ●●●●○  
12

24" x 24"

| 46903



0.31"  
R9  
PEI ●●●●○

mosaic

12" x 12"

| 39447



0.31"  
R9  
PEI ●●●●○

baseboard

3" x 24"

| 36842



0.31"

decor

geo

12" x 48"

| 47337



0.31"  
R9  
PEI ●●●●○  
12

waves

12" x 48"

| 47337



0.31"  
R9  
PEI ●●●●○  
12

## Packaging

	3" x 24" x 0.31"	12" x 12" x 0.31"	24" x 24" x 0.31"	12" x 48" x 0.31"	24" x 48" x 0.31"	48" x 48" x 0.31"	48" x 110" x 0.24"
--	------------------	-------------------	-------------------	-------------------	-------------------	-------------------	--------------------

Pieces in the box

8

5

4

4

2

1

\*

ft<sup>2</sup> in the box

-

-

15.39

15.28

15.39

15.39

\*

Box weight [lb]

16.53

20.17

60.18

59.74

60.20

60.20

\*

0.31" - tile thickness

R9 - non-slip qualities

PEI - abrasion class


15 - number of graphic patterns

color body

\* The tiles are packed in crates. More information available on a table, on page 114.

# Masterstone

## graphite - matte



## mosaic



0.31"  
R10  
PEI ●●●○○

## baseboard



0.31"

0.31"  
R9  
PEI ●●●○○  
12

0.31"  
R9  
PEI ●●●○○  
24



0.31"  
R9  
PEI ●●●○○  
48

48" x 110"  
| 45876



0.24"  
R9  
PEI ●●●○○  
4

## graphite - polished



0.31"  
PEI ●●●○○

## baseboard



0.31"

0.31"  
PEI ●●●○○  
12

0.31"  
PEI ●●●○○  
24

0.31"  
PEI ●●●○○  
48

0.31" - tile thickness

R9 - non-slip qualities

PEI - abrasion class

15 - number of graphic patterns

color body

## Packaging

	3" x 24" x 0.31"	12" x 12" x 0.31"	24" x 24" x 0.31"	12" x 48" x 0.31"	24" x 48" x 0.31"	48" x 48" x 0.31"	48" x 110" x 0.24"
Pieces in the box	8	5	4	4	2	1	*
ft <sup>2</sup> in the box	-	-	15.39	15.28	15.39	15.39	*
Box weight [lb]	16.53	20.17	60.18	59.74	60.20	60.20	*

\* The tiles are packed in crates. More information available on a table, on page 114.

# CALACATTA WHITE

With its white tints, the Calacatta White collection shows the Statuario lines of the most beautiful white marble, with excellent precision.

The polished surface of these tiles is reminiscent of Mediterranean like interiors, while the matte version fits perfectly into modern aesthetics, complementing wood and metal textures.




## SIZES

48" x 110"  
48" x 48"  
24" x 48"  
24" x 24"

wall tile   floor tile   frost resistance   porcelain tile  
rectified tile   matte surface   satin surface   polished finish



**CALACATTA WHITE**





## Calacatta White

matte

48" x 110"  
| 45791



0.24"  
R9  
PEI ●●●○  
4

24" x 48"  
| 45418



0.31"  
R9  
PEI ●●●○  
24


24" x 24"  
| 45234



0.31"  
R9  
PEI ●●●○  
48

mosaic

48" x 48"  
| 45616



0.31"  
R10  
PEI ●●●○

12" x 12"  
| 39539



0.31"  
R10  
PEI ●●●○

baseboard

3" x 24"  
| 39355



0.31"

tile thickness



R9 - non-slip qualities

PEI - abrasion class




15 - number of graphic patterns

# Calacatta White

satin



polished



mosaic



## Packaging

	3" x 24" x 0.31"	12" x 12" x 0.31"	24" x 24" x 0.31"	24" x 48" x 0.31"	48" x 48" x 0.31"	48" x 110" x 0.24"
Pieces in the box	8	5	4	2	1	*
ft <sup>2</sup> in the box	-	-	15.39	15.39	15.39	*
Box weight [lb]	16.53	20.17	60.18	60.20	60.20	*

\* The tiles are packed in crates. More information available on a table, on page 114.

# CALACATTA GOLD

The Calacatta Gold collection is where we find beautiful veining patterns of luxury marble in porcelain stoneware tiles to add glamour and timeless elegance to the interior. Tiles in white and grey colors, with slight gold tinting, brighten and revitalise the arranged space, and in combination with distinctive accents of the decors, add a unique character to the interior.

An appropriate selection of the Calacatta Gold tile format gives the impression of a monolithic block of marble.

Repertoire of colors

## SIZES

48" x 110"  
48" x 48"  
24" x 48"  
12" x 48"  
24" x 24"

wall tile   floor tile   frost resistance   porcelain tile  
rectified tile   matte surface   polished finish






## CALACATTA GOLD




An appropriate selection of the Calacatta Gold tile format gives the impression of a uniform surface that resembles a monolithic block of marble.



# Calacatta Gold

## matte

48" x 48"  
| 45593


0.31"  
R9  
PEI ●●●●○  
74

48" x 110"  
| 45777

0.24"  
R9  
PEI ●●●●○  
4

24" x 48"  
| 45395

0.31"  
R9  
PEI ●●●●○  
37


12" x 48"  
| 44954

0.31"  
R9  
PEI ●●●●○  
74

24" x 24"  
| 45210

0.31"  
R9  
PEI ●●●●○  
37

## mosaic

12" x 12"  
| 39522

0.31"  
R10  
PEI ●●●●○

## baseboard

3" x 24"  
| 39348

0.31"

## polished

48" x 48"  
| 47023


0.31"  
PEI ●●●●○  
12

24" x 48"  
| 46637

0.31"  
PEI ●●●●○  
37

12" x 48"  
| 47245

0.31"  
PEI ●●●●○  
74

24" x 24"  
| 46828

0.31"  
PEI ●●●●○  
74

## mosaic

12" x 12"  
| 39614

0.31"  
PEI ●●●●○

## baseboard

3" x 24"  
| 39430

0.31"

## decor

24" x 48"  
| 47221 (A) / 47238 (B)

0.31"  
PEI ●●●●○  
6

## decor

24" x 48"  
| 45432 (A) / 45449 (B)

0.31"  
R9  
PEI ●●●●○  
6

## Packaging

	3" x 24" x 0.31"	12" x 12" x 0.31"	24" x 24" x 0.31"	12" x 48" x 0.31"	24" x 48" x 0.31"	48" x 48" x 0.31"	48" x 110" x 0.24"
Pieces in the box	8	5	4	4	2	1	*
ft <sup>2</sup> in the box	-	-	15.39	15.28	15.39	15.39	*
Box weight [lb]	16.53	20.17	60.18	59.74	60.20	60.20	*

\* The tiles are packed in crates. More information available on a table, on page 114.

**SIZES**

48" x 110"  
48" x 48"  
24" x 48"  
24" x 24"

■ wall tile    ▲ floor tile    △ color body    ■ frost resistance    ▲ porcelain tile  
=====  
=====



# MARQUINA GOLD



The Marquina Gold tile collection, designed for wall and floor applications, injects luxury into the living room, kitchen or bathroom, where care concerning the quality of finishing materials is combined with a unique ambience.





MARQUINA GOLD


94

95

# Marquina Gold


matte

48"×110"  
| 45814




0.24"  
R9  
PEI ●●●○○  
4

24"×48"  
| 45456



0.31"  
R9  
PEI ●●●○○  
8


24"×24"  
| 45258



0.31"  
R9  
PEI ●●●○○  
80


polished

48"×110"  
| 47542




0.31"  
R9  
PEI ●●●○○  
40

24"×48"  
| 46651



0.31"  
R9  
PEI ●●●○○  
8

24"×24"  
| 46866



0.31"  
R9  
PEI ●●●○○  
80

96

mosaic

12"×12"  
| 39546



0.31"  
R10  
PEI ●●●○○

baseboard

3"×24"  
| 39362



0.31"

Packaging

Pieces in the box

3"×24"×0.31"	12"×12"×0.31"	24"×24"×0.31"	24"×48"×0.31"	48"×48"×0.31"	48"×110"×0.24"
8	5	4	2	1	*

ft<sup>2</sup> in the box

-	-	15.39	15.39	15.39	*
---	---	-------	-------	-------	---

Box weight [lb]

16.53	20.17	60.18	60.20	60.20	*
-------	-------	-------	-------	-------	---

☒ - tile thickness

☒ R9 - non-slip qualities

PEI - abrasion class

☒ 15 - number of graphic patterns

☒ - color body

\* The tiles are packed in crates. More information available on a table, on page 114.

97

mosaic

12"×12"  
| 39638



0.31"  
R9  
PEI ●●●○○

baseboard

3"×24"  
| 39454



0.31"

# CONCRETE

Inspiration

98

## Minimalism in a modern version

Concrete is currently one of the most popular materials used in interior design. It fits perfectly not only into lofts and industrial spaces, but also into cosy rooms when combined with warm decor and accessories.

It is always loved by fans of minimalism and appreciated by various interior designers. It attracts attention, evokes admiration and breaks free of the routine, giving a wide range of design possibilities.



99



100

Raw mastery

## SOFTCEMENT

Fans of minimalist interiors will greatly enjoy the structure of concrete that inspired the Softcement tile collection. An interesting structure along with patchwork accents, is a mix of several interior design trends, that create an impressive and consistent composition in the collection.

The imitation of concrete in three shades of grey, combined with very attractive decor and tiles with 3D-print structure, adds a new and interesting character to any room. The Softcement collection is recommended to customers that would like to capture the energy and harmony of subtle and consistent interiors.

### COLORS

white  
silver  
graphite

### SIZES

48" x 110"  
48" x 48"  
24" x 48"  
12" x 48"  
24" x 24"

101




**SOFTCEMENT**  
white

102

The matte or polished surface of porcelain stoneware tiles, with their delicate structure, allows not only for their arrangement on large surfaces such as walls and floors, but also for the creation of distinctive patchwork decorations in specific areas.

 CERRAD



103



**SOFTCEMENT**  
graphite

 **CERRAD**

105

Concrete | SOFTCEMENT

Modernity, minimalism and harmony have never been closer.  
The exceptional Softcement collection is a variation on the beauty  
hidden in the raw aesthetics of concrete.



# Softcement

white - matte

48" x 48"  
| 45715

0.31"  
R9  
PEI ●●●○  
X 12

48" x 110"  
| 45890

0.24"  
R9  
PEI ●●●○  
X 4

24" x 48"  
| 45531

0.31"  
R9  
PEI ●●●○  
X 24

12" x 48"  
| 45098

0.31"  
R9  
PEI ●●●○  
X 48

mosaic

geo

12" x 12"  
| 3958424" x 24"  
| 45333

0.31"  
R9  
PEI ●●●○  
X 48

decor

geo

12" x 48"  
| 45128

flower

12" x 48"  
| 45111

white - polished

48" x 48"  
| 47146

0.31"  
R9  
PEI ●●●○  
X 12

24" x 48"  
| 46767

0.31"  
R9  
PEI ●●●○  
X 24

mosaic

geo

12" x 12"  
| 3967624" x 24"  
| 46941

0.31"  
R9  
PEI ●●●○  
X 48

decor

geo

12" x 48"  
| 47412

flower

12" x 48"  
| 47405

0.31"  
R9  
PEI ●●●○  
X 12

baseboard

3" x 24"



0.31"

decor

patchwork

24" x 24"



0.31"

baseboard

3" x 24"

| 39409

0.31"

decor

patchwork

24" x 24"

| 48006

0.24"

R9

PEI ●●●○

X 4

Packaging

3" x 24" x 0.31" 12" x 12" x 0.31" 24" x 24" x 0.31" 12" x 48" x 0.31" 24" x 48" x 0.31" 48" x 48" x 0.31" 48" x 110" x 0.24"

Pieces in the box

8

5

4

4

2

1

\*

ft<sup>2</sup> in the box

-

-

15.39

15.28

15.39

15.39

Box weight [lb]

16.53

20.17

60.18

59.74

60.20

60.20

\*

\* The tiles are packed in crates. More information available on a table, on page 114.

0.31" - tile thickness

R9 - non-slip qualities

PEI - abrasion class

X 15 - number of graphic patterns

# Softcement

silver - matte

48"×48"  
| 45739


0.31"  
R9  
PEI ●●●○  
12

48"×110"  
| 45913

0.24"  
R9  
PEI ●●●○  
4

mosaic

geo

12"×48"  
| 4513524"×24"  
| 453570.31"

24"×24"  
| 45357

0.31"

24"×24"  
| 45159

0.31"

24"×24"  
| 46781

0.31"

24"×24"  
| 46956

0.31"

24"×24"  
| 47450

0.31"

24"×24"  
| 47443

0.31"

24"×24"  
| 47450

0.31"

24"×24"  
| 47443

0.31"

silver - polished

48"×48"  
| 47160

0.31"  
R9  
PEI ●●●○  
12

48"×110"  
| 47641

0.24"  
R9  
PEI ●●●○  
4

mosaic

geo

12"×48"  
| 47450

24"×24"  
| 46956

0.31"

24"×24"  
| 47450

0.31"

24"×24"  
| 47443

0.31"

24"×24"  
| 47443

0.31"

24"×24"  
| 47450

0.31"

24"×24"  
| 47443

0.31"

24"×24"  
| 47450

0.31"

24"×24"  
| 47443

0.31"

24"×24"  
| 47450

0.31"

24"×24"  
| 47443

0.31"

24"×24"  
| 47450

0.31"

24"×24"  
| 47443

0.31"

110

111

0.24" - tile thickness

R9 - non-slip qualities

PEI - abrasion class

15 - number of graphic patterns

color body

Packaging

	3"×24"×0.31"	12"×12"×0.31"	24"×24"×0.31"	12"×48"×0.31"	24"×48"×0.31"	48"×48"×0.31"	48"×110"×0.24"
Pieces in the box	8	5	4	4	2	1	*
ft <sup>2</sup> in the box	-	-	15.39	15.28	15.39	15.39	*
Box weight [lb]	16.53	20.17	60.18	59.74	60.20	60.20	*

\* The tiles are packed in crates. More information available on a table, on page 114.

# Softcement

## graphite - matte

48"×48"  
| 45753



0.31"  
R9  
PEI ●●●○○  
12

48"×110"  
| 45937



0.24"  
R9  
PEI ●●●○○  
4

## mosaic

12"×48"  
| 45173



24"×24"  
| 45371



0.31"  
R9  
PEI ●●●○○  
48

## decor

geo

flower

12"×48"  
| 45203



0.31"  
R9  
PEI ●●●○○  
12

12"×48"  
| 45197



0.31"  
R9  
PEI ●●●○○  
12

## graphite - polished

48"×48"  
| 47184



0.31"  
R9  
PEI ●●●○○  
12


48"×110"  
| 47665



0.24"  
R9  
PEI ●●●○○  
4

## mosaic

12"×12"  
| 39690




24"×24"  
| 46989



0.31"  
R9  
PEI ●●●○○  
12

12"×48"  
| 47498



0.31"  
R9  
PEI ●●●○○  
12

## decor

geo

flower

12"×48"  
| 47481



0.31"  
R9  
PEI ●●●○○  
12

baseboard

3"×24"  
| 39423



0.31"

baseboard

3"×24"  
| 39515



0.31"

## Packaging

	3"×24"×0.31"	12"×12"×0.31"	24"×24"×0.31"	12"×48"×0.31"	24"×48"×0.31"	48"×48"×0.31"	48"×110"×0.24"
Pieces in the box	8	5	4	4	2	1	*
ft <sup>2</sup> in the box	-	-	15.39	15.28	15.39	15.39	*
Box weight [lb]	16.53	20.17	60.18	59.74	60.20	60.20	*

\* The tiles are packed in crates. More information available on a table, on page 114.

0.31" - tile thickness

R9 - non-slip qualities

PEI - abrasion class



15 - number of graphic patterns

color body

## DIMENSIONS AND PACKAGING



### 8" x 96" x 0.24"

Packaging	Pallet
Pieces on a pallet	150
ft <sup>2</sup> on a pallet	742.70
Pallet weight [lb]	2469.17
Pallet dimensions [in]	102.36" x 51.18" x 14.96"
Frost resistance	✓



### 48" x 110" x 0.24"

Packaging	A-Frame	Pallet
Pieces on a pallet	38	25
ft <sup>2</sup> on a pallet	1370.24	901.47
Pallet weight [lb]	4365.15	2954.20
Pallet dimensions [in]	114.17" x 58.22" x 29.52"	119.29" x 53.54" x 14.96"
Frost resistance	✓	✓



## DIMENSIONS AND PACKAGING

### Wood inspiration

Packaging	5"x24"x0.31"	8"x48"x0.24"	8"x64"x0.24"
Pieces in the box	11	6	6
ft <sup>2</sup> in the box	7.75	14.96	19.91
Box weight [lb]	35.22	45.41	60.40
ft <sup>2</sup> on a pallet	620.00	718.16	637.22
Boxes on a pallet	80	48	32
Pallet weight [lb]	2874.82	2224.46	1988.56
Frost resistance	✓	✓	✓

### Marble | Concrete inspiration

Packaging	3"x24"x0.31"	12"x12"x0.31"	24"x24"x0.31"	12"x48"x0.31"	24"x48"x0.31"	48"x48"x0.31"
Pieces in the box	8	5	4	4	2	1
ft <sup>2</sup> in the box	-	-	15.39	15.28	15.39	15.39
Box weight [lb]	16.53	20.17	60.18	59.74	60.20	60.20
ft <sup>2</sup> on a pallet	-	-	492.55	611.39	507.94	461.77
Boxes on a pallet	112	48	32	40	33	30
Pallet weight [lb]	1666.69	952.39	1902.58	2380.99	1962.11	1884.95
Frost resistance	✓	✓	✓	✓	✓	✓

## TILE DESCRIPTION

Non-slip qualities

Abrasion class

Floor tile

Wall tile

Structural surface

Tile thickness

Color body

Calibrated

P Porcelain tile

C Clinker

M Matte surface

S Satine surface

P Polished finish

F Frost resistance


7 Number of graphic patterns

Within one collection, our tiles have over 60 different graphics to avoid the so-called stamp effect (i.e. unintentional repetition of a pattern on a small surface).


This catalogue does not constitute an offer as defined in the Civil Code provisions. The actual appearance of tiles may differ from that presented in the pictures contained herein.  
All rights reserved © CERRAD Sp. z o.o. 2020.

HELD CERTIFICATES: compliance with PN-EN 14411:2013-04; for safety ; EN ISO 9001.

## BENEFITS OF THIN TILES





116





### Optional installation of tiles on the existing surfaces\*

- > avoiding additional costs related to the removal of old materials
- > time-saving solution





### More efficient heating

- > faster dissipation of heat from the floor and wall heating systems
- > higher efficiency of the heating system
- > money saving



### Easier processing/cutting

- > easier tile cutting
- > improved installation efficiency
- > straight line finish
- > cutting of more complex shapes



### Variety of applications

- > walls, floors
- > installation on curved surfaces thanks to higher flexibility
- > finishing of hard-to-access cavities, lift shafts, storage areas

FEATURES	
	BREAKING FORCE ≥ 1300 N
	TENSILE STRENGTH ≥ 45 N / mm <sup>2</sup>
	FROST RESISTANCE
	FIRE RESISTANCE
	WATER REPELLENCE
	TERMAL SHOCK RESISTANCE
	CHEMICAL RESISTANCE
	STAINING RESISTANCE

## TECHNICAL PROPERTIES AND STANDARDS

VALUES ACCORDING TO THE STANDARD  
PN - EN 14411:2013-04 ANNEX H AND DECLARED – CLINKER  
PN - EN 14411:2013-04 ANNEX G AND DECLARED – PORCELAIN TILE

tests according to PN-EN ISO 10545-2	DIMENSIONS AND SURFACE FLATNESS	NOMINAL DIMENSION N	
		7 cm ≤ N < 15	N ≥ 15 cm
Length	± 0,9 mm	± 0,6% i max ± 2,0 mm	
Width	± 0,9 mm	± 0,6% i max ± 2,0 mm	
Thickness	± 0,5 mm	± 5% i max ± 0,5 mm	
Deflection from the straight angle	± 0,75 mm	± 0,5% i max ± 2,0 mm	
Surface flatness	± 0,75 mm	± 0,5% i max ± 2,0 mm	

	PHYSICAL PROPERTIES	PN - EN 14411:2013-04 ANNEX H AND DECLARED		PN - EN 14411:2013-04 ANNEX G AND DECLARED	
		REQUIREMENTS	MEAN VALUE ACHIEVED	REQUIREMENTS	MEAN VALUE ACHIEVED
	Water absorption, tests according to PN-EN ISO 10545-3	0,5% < E ≤ 3%	0,5% < E ≤ 2,6%	E ≤ 0,5%	0,05% – 0,10%
	Breaking force, tests according to PN-EN ISO 10545-4	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1100 N	850 N 2000 N	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1300 N	1300-1500 N 2000-2200 N
	Flexural strength, tests according to PN-EN ISO 10545-4	> 30 N / mm <sup>2</sup>	38 N / mm <sup>2</sup>	> 35 N / mm <sup>2</sup>	40-50 N / mm <sup>2</sup>
	Abrasion resistance, tests according to PN-EN ISO 10545-7	according to the manufacturer's declaration	cl. 3 – 4	according to the manufacturer's declaration	cl. 3 – 5
	Frost resistance, tests according to PN-EN ISO 10545-12	required	resistant	required	resistant
	Chemical resistance, tests according to PN-EN ISO 10545-13, - to acids and bases of low concentration, - to acids and bases of high concentration, - to household agents/water pool salts	- according to the manufacturer's classification - min. B	– LA – HA	- according to the manufacturer's classification - min. B	– LA – HA – A
	Non-slip qualities, tests according to DIN 51130, + complementary procedures	according to the manufacturer's declaration	smooth and rustic surface – R9 – R10, chequered surface – R11	according to the manufacturer's declaration	smooth and rustic surface – R9 – R10
	Release of lead and cadmium PN-EN ISO 10545-15	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm <sup>3</sup> Cadmium < 0,02 mg/dm <sup>3</sup>	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm <sup>3</sup> Cadmium < 0,02 mg/dm <sup>3</sup>
	Natural radioactivity ITB 455/2010	no requirements	below regulatory safety limits	no requirements	below regulatory safety limits
	Resistance to staining PN-EN ISO 10545-14	min. 3 cl.	cl. 5	min. 3 cl. (GL)	cl. 5
	Crazing resistance, tests according to PN-EN ISO 10545-11	required	resistant	required	resistant
	Thermal shock resistance, test according to PN-EN ISO 10545-9	required	resistant	required	resistant

\* please note that proper constructional chemicals may be required (dedicated adhesive) to reinforce the first layer

\*\* more square feet of 1/4" tiles in transport compared to thicker tiles, while keeping the same weight

117

**CERRAD Ltd.**

27-200 Starachowice  
Radomska 49 B Street, Poland  
phone +48 800 237 723  
[office@cerrad.com](mailto:office@cerrad.com)  
[www.cerrad.com](http://www.cerrad.com)

**CERRAD Corp.**

777 South Flagler Drive, West Tower 8th floor  
West Palm Beach, FL 33401, USA  
phone +1 561 515 6012  
[m.gallego@cerrad.com](mailto:m.gallego@cerrad.com)  
[www.cerrad.com](http://www.cerrad.com)