

**NEW COLLECTIONS**

2020





## Table of contents

- NICKWOOD** p. 6
- LIBERO** p. 18
- GIORNATA** p. 30
- NOTTA** p. 40
- TRAMONTO** p. 48
- MASTERSTONE** p. 62
- CALACATTA WHITE** p. 76
- CALACATTA GOLD** p. 84
- MARQUINA GOLD** p. 90
- SOFTCEMENT** p. 100

# WOOD

Inspiration

4

## Unique style in harmony with nature

Nothing is more soothing to our mind than the colours and textures taken from the world of nature. This is because what is best is reflected in nature. When creating the collection of wood-like tiles, we focused on the combination of beauty and uniqueness of wood with durability and strength of porcelain stoneware and clinker tiles. The new collections amaze with their colours and structure, creating a unique mood in every interior.

They are an exceptional material both for modern and classic concepts.

Thanks to the digital print technology, the fine grain texture of wood has been reflected with extraordinary craftsmanship. The tiles can successfully replace wood, while keeping their warm material for both modern and classic concepts.

5





Raw elegance

# NICKWOOD

Inspiration for the creation of the Nickwood collection comes from the beauty of natural wood. Tiles with a matt surface and a non-uniform structure are perfect imitation, and a modern interpretation of raw wood boards. The special abrasion marks on the surface are also very characteristic for rough timber. They add originality and a unique effect to any interior.

**COLOURS**

bianco  
beige  
sabbia  
marrone

**SIZES**

20 x 240  
20 x 160  
20 x 120



# NICKWOOD

beige

The Nickwood tiles are great for any interior.  
They allow us to enjoy the effect of a wooden  
floor in kitchens and bathrooms.



10



Dark wood is always a strong accent when it comes to interior design.  
Dark colours are not only elegant and stylish, but they also add depth  
to any arrangement. Nickwood tiles in brown shades catch the eye  
and remain timeless.



12

**NICKWOOD**  
marrone

This collection is perfect for both warm, classic interiors as well as for modern spaces. Inspired by nature, it makes the Nickwood wood-like tiles a perfect basis for various arrangement styles.



13

They blend extremely well into both rustic and modern interiors.  
The final look is determined by selected decorations.



**NICKWOOD** sabbia

**Nickwood**

bianco

19,3×239,7 cm  
| 46118

16

beige

19,3×239,7 cm  
| 46132

sabbia

19,3×239,7 cm  
| 46156

marrone

19,3×239,7 cm  
| 46170

17

19,3×120,2 cm  
| 4595119,3×159,7 cm  
| 4603319,3×120,2 cm  
| 4595119,3×120,2 cm  
| 4597519,3×120,2 cm  
| 4599919,3×159,7 cm  
| 4609519,3×120,2 cm  
| 4601919,3×159,7 cm  
| 46019**Packaging**

Pieces in the box

19,3×120,2×0,6 19,3×159,7×0,6 19,3×239,7×0,6

6

6

\*

m<sup>2</sup> in the box

1,39

1,85

\*

Box weight [kg]

20,6

27,4

\*

☒ - tile thickness

⤵ R9 - non-slip qualities

PEI - abrasion class

☒ 15 - number of graphic patterns

⤵ - colour body

☒ - textured surface

\* The tiles are packed in crates. More information available on a table, on page 114.

Charming in its simplicity

# LIBERO

The Libero collection is the essence of elegance and simplicity. Combining the unique quality of wood with the exceptional durability and strength of porcelain stoneware has allowed us to create a collection that is perfect both for classic, warm interiors and for modern spaces. Light tones fit in well with minimalistic Scandinavian interior designs, while darker tones go exceptionally well with an industrial arrangement of the interior.



## COLOURS

bianco  
beige  
sabbia  
marrone

## SIZES

20 x 240  
20 x 160  
20 x 120

wall tile floor tile colour body frost resistance  
rectified tile matt surface porcelain tile


**LIBERO**  
bianco

The Libero collection tiles with intense saturation add dynamic and elegant qualities to the interior. Calm, light tones shroud the space with subtleness.



Light wood is a compromise that is attractive to customers looking for universal materials. Tiles in subtle brown colours fit any style and colour design and are a perfect match for various materials and additions.

22



23

**LIBERO** beige



Classic styling will never go out of fashion and can still be light and modern. In order to ensure the timeless character of the interiors, customers can choose the marrone tint from the Libero collection.

**LIBERO**  
marrone



26

**LIBERO**  
sabbia

The Libero sabbia or Libero beige tiles can be adapted to the preferred style – they look great with classic, modern, Scandinavian and rustic solutions. Such floors are also a solid basis for arrangements inspired by the vintage or Hampton style.

 **CERRAD**

27

Wood | LIBERO

**Libero**

bianco

19,3×239,7 cm  
| 4635419,3×120,2 cm  
| 4619419,3×159,7 cm  
| 46279


beige

19,3×239,7 cm  
| 4637819,3×120,2 cm  
| 4621719,3×159,7 cm  
| 46293

sabbia

19,3×239,7 cm  
| 4639219,3×159,7 cm  
| 4631619,3×120,2 cm  
| 46231

marrone

19,3×239,7 cm  
| 4641519,3×120,2 cm  
| 4625519,3×159,7 cm  
| 46330**Packaging**

Pieces in the box

19,3×120,2×0,6    19,3×159,7×0,6    19,3×239,7×0,6

6        6        \*

m<sup>2</sup> in the box

1,39        1,85        \*

Box weight [kg]

20,6        27,4        \*

☒ - tile thickness

☒ R9 - non-slip qualities

PEI - abrasion class

☒ 15 - number of graphic patterns

☒ - colour body

☒ - textured surface

\* The tiles are packed in crates. More information available on a table, on page 114.



30

Nature in daylight

# GIORNATA

The Giornata collection of tiles is reminiscent of wooden parquets covered with sun rays. A wide range of colours and an interesting texture make the tiles an exceptional material for both modern and classic concepts.

The unique graphical style of the tiles means that the final surface looks exactly like natural wood.

**COLOURS**

bianco  
sabbia  
oro  
grigio  
marrone

**SIZES**

11 x 60

31

- wall tile
  - floor tile
  - frost resistance
  - clinker tile
- calibrated
  - matt surface
  - textured surface



Simple solutions and inspiration from nature itself mean that these small ceramic tiles fit perfectly into any interior, making it your favourite spot in the house.





34


 CERRAD

35

**GIORNATA** oro

36

# GIORNATA

 grigio

37

**Giornata**

bianco

11x60 cm  
| 17924

0,8  
 R9  
 PEI 24



oro

11x60 cm  
| 17962

0,8  
 R9  
 PEI 24



marrone

11x60 cm  
| 17986

0,8  
 R9  
 PEI 24



sabbia

11x60 cm  
| 18006

0,8  
 R9  
 PEI 24



grigio

11x60 cm  
| 17948

0,8  
 R9  
 PEI 24

**Packaging**

11 x 60 x 0,8

Pieces in the box

11

m<sup>2</sup> in the box

0,72

Box weight [kg]

15,98

tile thickness

non-slip qualities

PEI - abrasion class

- number of graphic patterns

- textured surface

**COLOURS**

white  
sand  
silver  
brown  
anthracite

**SIZES**

11 x 60

wall tile    floor tile    frost resistance    clinker tile  
calibrated    matt surface    textured surface



**NOTTA** sand

42

Tiles from the Notta collection arranged in the classic style are the best solution for minimalistic spaces, while a herringbone arrangement emphasises the rustic style of interiors.

 CERRAD



43



It is worth choosing enigmatic and original compositions.  
Dark wood combined with grey tints looks very fashionable  
and modern, which makes it perfect for lofts and industrial spaces.

**NOTTA**  
anthracite

**Notta**

white

11x60 cm  
| 18129

0,8  
 R9  
 PEI   
 18



sand

11x60 cm  
| 18143

0,8  
 R9  
 PEI   
 18



anthracite

11x60 cm  
| 18204

0,8  
 R9  
 PEI   
 18



brown

11x60 cm  
| 18167

0,8  
 R9  
 PEI   
 18



silver

11x60 cm  
| 18181

0,8  
 R9  
 PEI   
 18

**Packaging**

11 x 60 x 0,8

Pieces in the box

11

m<sup>2</sup> in the box

0,72

Box weight [kg]

15,98

- tile thickness

- non-slip qualities

PEI - abrasion class

18 - number of graphic patterns

- textured surface

Nature at sunset

# TRAMONTO

The Tramonto collection tiles perfectly imitate the texture of wood and look as grand and noble as the classic parquet. In order to create an interior with a timeless style, cosy and unique, customers can select various colours from the Tramonto collection. Each tile has its unique graphic design that represents wood grain and structure; hence, tiles arranged together look like natural wooden boards, adding a new quality and style to any space.



## COLOURS

bianco  
beige  
sabbia  
grigio  
marrone

## SIZES

11 x 60



**TRAMONTO**  
bianco



52

 CERRAD

53

**TRAMONTO**  
marrone



**TRAMONTO** sabbia





56



57

**TRAMONTO**  
beige

**Tramonto**

bianco

11x60 cm  
| 18020

0,8  
 R9  
PEI 24



sabbia

11x60 cm  
| 18105

0,8  
 R9  
PEI 24



grigio

11x60 cm  
| 18082

0,8  
 R9  
PEI 24



beige

11x60 cm  
| 18044

0,8  
 R9  
PEI 24



marrone

11x60 cm  
| 18068

0,8  
 R9  
PEI 24

**Packaging**

11 x 60 x 0,8

Pieces in the box  
m<sup>2</sup> in the box  
Box weight [kg]

11

0,72

15,98

- tile thickness

R9 - non-slip qualities

PEI - abrasion class

24 - number of graphic patterns

24 - textured surface




# MARBLE

## Inspiration

### In great style

In the past, marble was exclusively used in the interiors of stately homes and other such privileged places. Today, marble suits any style and interior type, and our porcelain stoneware tiles are a lovely representation of this natural design, and each day they are more and more desired by fans of elegant, timeless spaces, arranged with a subtle hint of the latest trends.

**COLOURS**

white  
silver  
graphite

**SIZES**

120 x 280  
120 x 120  
60 x 120  
30 x 120  
60 x 60



# MASTERSTONE

white



The diversity and beauty of the Masterstone collection means that it can be used in all interiors – modern, industrial, contemporary, minimalist or even vintage or classic ones. The tiles create an elegant and sublime arrangement.



Marble looks beautiful in modern interiors  
and is a perfect background for simple forms  
of furniture and decor.

66



**MASTERSTONE**  
silver

67

# MASTERSTONE

graphite



Ceramic tiles inspired by stone patterns add decoration to any style of bathroom. The versatility and timeless character of this material make it perfect in almost all arrangements: from minimalistic to luxurious ones.



# Masterstone

white - matt

119,7x119,7 cm  
| 45654

0,8  
 R9  
PEI   
 12

119,7x279,7 cm  
| 45838

0,6  
 R9  
PEI   
 8

mosaic

29,7x29,7 cm  
| 39553

0,8  
 R10  
PEI


baseboard

8x59,7 cm  
| 39379

0,8

decor

geo

29,7x119,7 cm  
| 45005


0,8  
 R9  
PEI   
 12

waves

29,7x119,7 cm  
| 44992

0,8  
 R9  
PEI   
 12

white - polished

119,7x119,7 cm  
| 47085

0,8  
 R10  
PEI

119,7x279,7 cm  
| 47566

0,6  
 R9  
PEI   
 8

Packaging

8x59,7x0,8 29,7x29,7x0,8 59,7x59,7x0,8 29,7x119,7x0,8 59,7x119,7x0,8 119,7x119,7x0,8 119,7x279,7x0,6

Pieces in the box

8 5 4 4 2 1 \*

m<sup>2</sup> in the box

- - 1,43 1,42 1,43 1,43 \*

Box weight [kg]

7,5 9,15 27,3 27,1 27,31 27,31 \*


PEI

- abrasion class

\* The tiles are packed in crates. More information available on a table, on page 114.

# Masterstone

silver - matt

119,7x119,7 cm  
| 45678


0,8  
R9  
PEI ●●●○  
48

119,7x279,7 cm  
| 45852


0,6  
R9  
PEI ●●●○  
8

59,7x119,7 cm  
| 45494

0,8  
R9  
PEI ●●●○  
24

29,7x119,7 cm  
| 45012

0,8  
R9  
PEI ●●●○  
24

59,7x59,7 cm  
| 45296

0,8  
R9  
PEI ●●●○  
48

mosaic

29,7x29,7 cm  
| 39560

0,8  
R10  
PEI ●●●○

baseboard

8x59,7 cm  
| 39386

0,8

decor

geo

waves


29,7x119,7 cm  
| 45043

0,8  
R9  
PEI ●●●○  
12

29,7x119,7 cm  
| 45036

0,8  
R9  
PEI ●●●○  
12

silver - polished

119,7x119,7 cm  
| 47108

0,8  
R9  
PEI ●●●○

59,7x119,7 cm  
| 46729

0,8  
R9  
PEI ●●●○

29,7x119,7 cm  
| 47306

0,8  
R9  
PEI ●●●○

59,7x59,7 cm  
| 46903

0,8  
R9  
PEI ●●●○

mosaic

29,7x29,7 cm  
| 39447

0,8  
R9  
PEI ●●●○

baseboard

8x59,7 cm  
| 36842

0,8

decor

geo

waves

29,7x119,7 cm  
| 47337

0,8  
R9  
PEI ●●●○  
12

29,7x119,7 cm  
| 47320

0,8  
R9  
PEI ●●●○  
12

Packaging

8x59,7x0,8

29,7x29,7x0,8

59,7x59,7x0,8

29,7x119,7x0,8

59,7x119,7x0,8

119,7x119,7x0,8

119,7x279,7x0,6

Pieces in the box

8

5

4

4

2

1

\*

m<sup>2</sup> in the box

-

-

1,43

1,42

1,43

1,43

\*

Box weight [kg]

7,5

9,15

27,3

27,1

27,31

27,31

\*

- tile thickness

- non-slip qualities

- abrasion class

- number of graphic patterns

- colour body

\* The tiles are packed in crates. More information available on a table, on page 114.

# Masterstone

## graphite - matt

119,7x119,7 cm  
| 45692



0,8  
R9  
PEI ●●●○○  
12

119,7x279,7 cm  
| 45876




0,6  
R9  
PEI ●●●○○  
8

59,7x119,7 cm  
| 45517



0,8  
R9  
PEI ●●●○○  
24

29,7x119,7 cm  
| 45050



0,8  
R9  
PEI ●●●○○  
48

59,7x59,7 cm  
| 45319



0,8  
R9  
PEI ●●●○○  
24

## mosaic

29,7x29,7 cm  
| 39577



0,8  
R10  
PEI ●●●○○

## baseboard


8x59,7 cm  
| 39393



0,8

## graphite - polished

119,7x119,7 cm  
| 47122



0,8  
R9  
PEI ●●●○○  
12

59,7x119,7 cm  
| 46743




0,8  
R9  
PEI ●●●○○  
48

29,7x119,7 cm  
| 47344



0,8  
R9  
PEI ●●●○○  
12

59,7x59,7 cm  
| 46927



0,8  
R9  
PEI ●●●○○  
48

## mosaic

29,7x29,7 cm  
| 39669



0,8  
R9  
PEI ●●●○○

## baseboard

8x59,7 cm  
| 39485



0,8

## decor

### geo

### waves

29,7x119,7 cm  
| 47375



0,8  
R9  
PEI ●●●○○  
12

29,7x119,7 cm  
| 47368



0,8  
R9  
PEI ●●●○○  
12

## Packaging

	8x59,7x0,8	29,7x29,7x0,8	59,7x59,7x0,8	29,7x119,7x0,8	59,7x119,7x0,8	119,7x119,7x0,8	119,7x279,7x0,6
--	------------	---------------	---------------	----------------	----------------	-----------------	-----------------

Pieces in the box	8	5	4	4	2	1	*
m <sup>2</sup> in the box	-	-	1,43	1,42	1,43	1,43	*
Box weight [kg]	7,5	9,15	27,3	27,1	27,31	27,31	*

\* The tiles are packed in crates. More information available on a table, on page 114.

0,8 - tile thickness

R9 - non-slip qualities

PEI - abrasion class

15 - number of graphic patterns

colour body



# CALACATTA WHITE

With its white tints, the Calacatta White collection shows the Statuario lines of the most beautiful white marble, with excellent precision.

The polished surface of these tiles is reminiscent of Mediterranean like interiors, while the matt version fits perfectly into modern aesthetics, complementing wood and metal textures.

Perfect imitation


## SIZES

120 x 280  
120 x 120  
60 x 120  
60 x 60

wall tile   floor tile   frost resistance   porcelain tile  
rectified tile   matt surface   satin surface   polished finish



**CALACATTA WHITE**





## Calacatta White

matt

119,7 x 279,7 cm  
| 45791



0,6  
R9  
PEI ●●●○  
12

59,7 x 119,7 cm  
| 45418



0,8  
R9  
PEI ●●●○  
24


59,7 x 59,7 cm  
| 45234



0,8  
R9  
PEI ●●●○  
48

mosaic

29,7 x 29,7 cm  
| 39539



0,8  
R10  
PEI ●●●○

baseboard

8 x 59,7 cm  
| 39355



0,8

tile thickness


R9 - non-slip qualities

PEI - abrasion class

15 - number of graphic patterns

# Calacatta White

satin

119,7x279,7 cm  
| 47689☒ 0,6  
PEI ●●●○  
☒ 859,7x119,7 cm  
| 46590☒ 0,8  
PEI ●●●○  
☒ 2459,7x59,7 cm  
| 47009☒ 0,8  
PEI ●●●○  
☒ 48

polished

119,7x279,7 cm  
| 47528☒ 0,8  
PEI ●●●○  
☒ 2459,7x119,7 cm  
| 46613☒ 0,8  
PEI ●●●○  
☒ 2459,7x59,7 cm  
| 46842☒ 0,8  
PEI ●●●○  
☒ 48

mosaic

29,7x29,7 cm  
| 39720☒ 0,8  
PEI ●●●○119,7x119,7 cm  
| 47207☒ 0,8  
PEI ●●●○  
☒ 12

baseboard

8x59,7 cm  
| 39737☒ 0,8  
PEI ●●●○  
☒ 8☒ 0,6  
PEI ●●●○  
☒ 8119,7x119,7 cm  
| 47047☒ 0,8  
PEI ●●●○  
☒ 12

mosaic

29,7x29,7 cm  
| 39621☒ 0,8  
PEI ●●●○

baseboard

8x59,7 cm  
| 39447

☒ 0,8

## Packaging

Pieces in the box

8x59,7x0,8    29,7x29,7x0,8    59,7x59,7x0,8    59,7x119,7x0,8    119,7x119,7x0,8    119,7x279,7x0,6

8      5      4      2      1      \*

m<sup>2</sup> in the box

-      -      1,43      1,43      1,43      \*

Box weight [kg]

7,5      9,15      27,3      27,31      27,31      \*

☒ - tile thickness

R9 - non-slip qualities

PEI - abrasion class

☒ 15 - number of graphic patterns

\* The tiles are packed in crates. More information available on a table, on page 114.

**SIZES**


120 x 280  
120 x 120  
60 x 120  
30 x 120  
60 x 60

wall tile   floor tile   frost resistance   porcelain tile  
rectified tile   matt surface   polished finish





## CALACATTA GOLD

An appropriate selection of the Calacatta Gold tile format gives the impression of a uniform surface that resembles a monolithic block of marble.



# Calacatta Gold

matt

119,7x119,7 cm  
| 455930,8  
R9  
PEI ●●●●○  
74119,7x279,7 cm  
| 457770,6  
R9  
PEI ●●●●○  
859,7x119,7 cm  
| 4539529,7x119,7 cm  
| 4495459,7x59,7 cm  
| 45210

mosaic


29,7x29,7 cm  
| 395220,8  
R10  
PEI ●●●●○

baseboard

8x59,7 cm  
| 39348

0,8

polished

119,7x119,7 cm  
| 470230,8  
PEI ●●●●○  
74119,7x279,7 cm  
| 475040,6  
PEI ●●●●○  
859,7x119,7 cm  
| 466370,8  
PEI ●●●●○  
7429,7x29,7 cm  
| 468280,8  
PEI ●●●●○  
74

mosaic

29,7x29,7 cm  
| 396140,8  
PEI ●●●●○

baseboard

8x59,7 cm  
| 39430

0,8

decor

59,7x119,7 cm  
| 47221 (A) / 47238 (B)0,8  
PEI ●●●●○  
6

## Packaging

	8x59,7x0,8	29,7x29,7x0,8	59,7x59,7x0,8	29,7x119,7x0,8	59,7x119,7x0,8	119,7x119,7x0,8	119,7x279,7x0,6
--	------------	---------------	---------------	----------------	----------------	-----------------	-----------------

Pieces in the box

8

5

4

4

2

1

\*

m<sup>2</sup> in the box

-

-

1,43

1,42

1,43

1,43

\*

Box weight [kg]

7,5

9,15

27,3

27,1

27,31

27,31

\*

0,8 - tile thickness

R9 - non-slip qualities

PEI - abrasion class

15 - number of graphic patterns

\* The tiles are packed in crates. More information available on a table, on page 114.

90

Classic style in a new version

# MARQUINA GOLD

The collection with densely dispersed golden veining gives every interior an elegant, noble and glamorous feel. Inspired by fine marble, the Marquina porcelain stoneware tile collection is primarily intended for fans of elegant, timeless interiors arranged with a subtle reference to the latest trends. The tones of the tiles perfectly represent the complex veining of natural stone, giving any space the look and feel of luxurious ambience.



91

**SIZES**

120 x 280  
120 x 120  
60 x 120  
60 x 60

wall tile floor tile colour body frost resistance porcelain tile  
rectified tile matt surface polished finish



# MARQUINA GOLD



The Marquina Gold tile collection, designed for wall and floor applications, injects luxury into the living room, kitchen or bathroom, where care concerning the quality of finishing materials is combined with a unique ambience.







# MARQUINA GOLD

# Marquina Gold

matt

119,7x279,7 cm  
| 45814
 0,6  
 R9  
PEI   
 8
59,7x119,7 cm  
| 45456
 0,8  
 R9  
PEI   
 40

96

# CONCRETE

Inspiration

98

## Minimalism in a modern version

Concrete is currently one of the most popular materials used in interior design. It fits perfectly not only into lofts and industrial spaces, but also into cosy rooms when combined with warm decor and accessories.

It is always loved by fans of minimalism and appreciated by various interior designers. It attracts attention, evokes admiration and breaks free of the routine, giving a wide range of design possibilities.



99



100

Raw mastery

# SOFTCEMENT

Fans of minimalist interiors will greatly enjoy the structure of concrete that inspired the Softcement tile collection. An interesting structure along with patchwork accents, is a mix of several interior design trends, that create an impressive and consistent composition in the collection.

The imitation of concrete in three shades of grey, combined with very attractive decor and tiles with 3D-print structure, adds a new and interesting character to any room. The Softcement collection is recommended to customers that would like to capture the energy and harmony of subtle and consistent interiors.

**COLOURS**

white  
silver  
graphite

**SIZES**

120 x 280  
120 x 120  
60 x 120  
30 x 120  
60 x 60

101



## SOFTCEMENT

white

102

The matt or polished surface of porcelain stoneware tiles, with their delicate structure, allows not only for their arrangement on large surfaces such as walls and floors, but also for the creation of distinctive patchwork decorations in specific areas.

103



**SOFTCEMENT**  
graphite

Modernity, minimalism and harmony have never been closer.  
The exceptional Softcement collection is a variation on the beauty  
hidden in the raw aesthetics of concrete.

106



## SOFTCEMENT

silver



107




# Softcement


silver - matt

119,7x119,7 cm  
| 4573959,7x119,7 cm  
| 4555529,7x119,7 cm  
| 45135

mosaic

29,7x29,7 cm  
| 39591decor  
geo flower29,7x119,7 cm  
| 4516629,7x119,7 cm  
| 45159

geo flower

119,7x279,7 cm  
| 4591359,7x59,7 cm  
| 48020

baseboard

8x59,7 cm  
| 39416

decor patchwork

- tile thickness    - non-slip qualities    PEI - abrasion class    - number of graphic patterns    - colour body

silver - polished

119,7x119,7 cm  
| 4716059,7x119,7 cm  
| 46781mosaic  
geo29,7x119,7 cm  
| 4742929,7x29,7 cm  
| 3968329,7x119,7 cm  
| 4745029,7x119,7 cm  
| 47443

geo flower

119,7x279,7 cm  
| 47641

Packaging	8x59,7x0,8	29,7x29,7x0,8	59,7x59,7x0,8	29,7x119,7x0,8	59,7x119,7x0,8	119,7x119,7x0,8	119,7x279,7x0,6
Pieces in the box	8	5	4	4	2	1	*
m <sup>2</sup> in the box	-	-	1,43	1,42	1,43	1,43	*
Box weight [kg]	7,5	9,15	27,3	27,1	27,31	27,31	*

\* The tiles are packed in crates. More information available on a table, on page 114.

# Softcement

## graphite - matt

119,7x119,7 cm  
| 45753



0,8  
R9  
PEI ●●●○○  
12

119,7x279,7 cm  
| 45937



0,6  
R9  
PEI ●●●○○  
8

## mosaic

29,7x119,7 cm  
| 45173



59,7x59,7 cm  
| 45371



0,8  
R9  
PEI ●●●○○  
48

## decor

29,7x119,7 cm  
| 45203



59,7x59,7 cm  
| 45197



0,8  
R9  
PEI ●●●○○  
48

## geo

29,7x119,7 cm  
| 45197



59,7x59,7 cm  
| 45371



0,8  
R9  
PEI ●●●○○  
48

## flower

29,7x119,7 cm  
| 45197



59,7x59,7 cm  
| 45371



0,8  
R9  
PEI ●●●○○  
48

## graphite - polished

119,7x119,7 cm  
| 47184



0,8  
R9  
PEI ●●●○○  
12

59,7x119,7 cm  
| 46804




0,8  
R9  
PEI ●●●○○  
24

## mosaic

29,7x119,7 cm  
| 47467



59,7x59,7 cm  
| 46989



0,8  
R9  
PEI ●●●○○  
48

## decor

29,7x119,7 cm  
| 47498



59,7x59,7 cm  
| 47481



0,8  
R9  
PEI ●●●○○  
12

## geo

29,7x119,7 cm  
| 47498



59,7x59,7 cm  
| 47481



0,8  
R9  
PEI ●●●○○  
12

## baseboard

8x59,7 cm  
| 39423



0,8

## decor

## patchwork

59,7x59,7 cm  
| 48044



0,8  
R9  
PEI ●●●○○  
12

## Packaging

8x59,7x0,8

29,7x29,7x0,8

59,7x59,7x0,8

29,7x119,7x0,8

59,7x119,7x0,8

119,7x119,7x0,8

119,7x279,7x0,6

Pieces in the box

8

5

4

4

2

1

\*

m<sup>2</sup> in the box

-

-

1,43

1,42

1,43

1,43

\*

Box weight [kg]

7,5

9,15

27,3

27,1

27,31

27,31

\*

- tile thickness

- non-slip qualities

PEI - abrasion class

- number of graphic patterns



- colour body

\* The tiles are packed in crates. More information available on a table, on page 114.

## DIMENSIONS AND PACKAGING



### 19,3 x 239,7 x 0,6

Packaging	Pallet
Pieces on a pallet	150
m <sup>2</sup> on a pallet	69
Pallet weight [kg]	1120
Pallet dimensions [mm]	2600x1300x380
Frost resistance	✓



### 119,7 x 279,7 x 0,6

Packaging	A-Frame	Pallet
Pieces on a pallet	38	25
m <sup>2</sup> on a pallet	127,3	83,75
Pallet weight [kg]	1980	1441
Pallet dimensions [mm]	2900x1479x750	3550x1750x300 (±30)
Frost resistance	✓	✓



## DIMENSIONS AND PACKAGING

### Wood inspiration

Packaging	11x60x0,8	19,3x120,2x0,6	19,3x159,7x0,6
Pieces in the box	11	6	6
m <sup>2</sup> in the box	0,72	1,39	1,85
Box weight [kg]	15,98	20,6	27,4
m <sup>2</sup> on a pallet	57,6	66,72	59,2
Boxes on a pallet	80	48	32
Pallet weight [kg]	1304	1009	902
Frost resistance	✓	✓	✓

### Marble | Concrete inspiration

Packaging	8x59,7x0,8	29,7x29,7x0,8	59,7x59,7x0,8	29,7x119,7x0,8	59,7x119,7x0,8	119,7x119,7x0,8
Pieces in the box	8	5	4	4	2	1
m <sup>2</sup> in the box	-	-	1,43	1,42	1,43	1,43
Box weight [kg]	7,5	9,15	27,3	27,1	27,31	27,31
m <sup>2</sup> on a pallet	-	-	45,76	56,8	47,19	42,9
Boxes on a pallet	112	48	32	40	33	30
Pallet weight [kg]	756	432	863	1080	890	855
Frost resistance	✓	✓	✓	✓	✓	✓

## TILE DESCRIPTION

Non-slip qualities

Abrasion class

Floor tile

Wall tile

Structural surface

Tile thickness

Colour body

Calibrated

P Porcelain tile

C Clinker

M Matt surface

S Satine surface

P Polished finish

F Frost resistance

7 Number of graphic patterns

Within one collection, our tiles have over 60 different graphics to avoid the so-called stamp effect (i.e. unintentional repetition of a pattern on a small surface).


This catalogue does not constitute an offer as defined in the Civil Code provisions. The actual appearance of tiles may differ from that presented in the pictures contained herein.  
All rights reserved © CERRAD Sp. z o.o. 2020.

HELD CERTIFICATES: compliance with PN-EN 14411:2013-04; for safety ; EN ISO 9001.

## BENEFITS OF 6 mm THICK TILES




116




### Optional installation of tiles on the existing surfaces\*

- > avoiding additional costs related to the removal of old materials
- > time-saving solution




### Optimal use of the functional space

- > more options on the design stage
- > easier adaptation to the existing floor, e.g. floor panels




### More efficient heating

- > faster dissipation of heat from the floor and wall heating systems
- > higher efficiency of the heating system
- > money saving




### Weight / Volume

- > savings on transport costs
- > more efficient transport
- > reduced storage needs
- > lighter tiles = easier installation




### Easier processing/cutting

- > easier tile cutting
- > improved installation efficiency
- > straight line finish
- > cutting of more complex shapes



### Environment protection / Sustainable business operations

- > 100% natural product
- > much lower energy consumption in production
- > lower CO<sub>2</sub> emission in production
- > reduced quantities of removed and transported materials when installing tiles on existing surfaces
- > reduced fuel consumption in transport thanks to lower tile weight



### Variety of applications

- > walls, floors
- > installation on curved surfaces thanks to higher flexibility
- > finishing of hard-to-access cavities, lift shafts, storage areas

## TECHNICAL PROPERTIES AND STANDARDS

### VALUES ACCORDING TO THE STANDARD

PN - EN 14411:2013-04 ANNEX H AND DECLARED – CLINKER  
PN - EN 14411:2013-04 ANNEX G AND DECLARED – PORCELAIN TILE

tests according to PN-EN ISO 10545-2	DIMENSIONS AND SURFACE FLATNESS	NOMINAL DIMENSION N	
		7 cm ≤ N < 15	N ≥ 15 cm
	Length	± 0,9 mm	± 0,6% i max ± 2,0 mm
	Width	± 0,9 mm	± 0,6% i max ± 2,0 mm
	Thickness	± 0,5 mm	± 5% i max ± 0,5 mm
	Deflection from the straight angle	± 0,75 mm	± 0,5% i max ± 2,0 mm
	Surface flatness	± 0,75 mm	± 0,5% i max ± 2,0 mm

	PHYSICAL PROPERTIES	PN - EN 14411:2013-04 ANNEX H AND DECLARED		PN - EN 14411:2013-04 ANNEX G AND DECLARED	
		REQUIREMENTS	MEAN VALUE ACHIEVED	REQUIREMENTS	MEAN VALUE ACHIEVED
	Water absorption, tests according to PN-EN ISO 10545-3	0,5% < E ≤ 3%	0,5% < E ≤ 2,6%	E ≤ 0,5%	0,05% – 0,10%
	Breaking force, tests according to PN-EN ISO 10545-4	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1100 N	850 N 2000 N	for thickness < 7,5 mm – ≥ 700 N for thickness ≥ 7,5 mm – ≥ 1300 N	1300-1500 N 2000-2200 N
	Flexural strength, tests according to PN-EN ISO 10545-4	> 30 N / mm <sup>2</sup>	38 N / mm <sup>2</sup>	> 35 N / mm <sup>2</sup>	40-50 N / mm <sup>2</sup>
	Abrasion resistance, tests according to PN-EN ISO 10545-7	according to the manufacturer's declaration	cl. 3 – 4	according to the manufacturer's declaration	cl. 3 – 5
	Frost resistance, tests according to PN-EN ISO 10545-12	required	resistant	required	resistant
	Chemical resistance, tests according to PN-EN ISO 10545-13, - to acids and bases of low concentration, - to acids and bases of high concentration, - to household agents/water pool salts	- according to the manufacturer's classification - min. B	– LA – HA	- according to the manufacturer's classification - min. B	– LA – HA – A
	Non-slip qualities, tests according to DIN 51130, + complementary procedures	according to the manufacturer's declaration	smooth and rustic surface – R9 – R10, chequered surface – R11	according to the manufacturer's declaration	smooth and rustic surface – R9 – R10
	Release of lead and cadmium PN-EN ISO 10545-15	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm <sup>3</sup> Cadmium < 0,02 mg/dm <sup>3</sup>	requirements of the Commission directive 2005/31/EC ≤ 0,2 mg/l for lead ≤ 0,02 mg/l for cadmium	Lead < 0,1 mg/dm <sup>3</sup> Cadmium < 0,02 mg/dm <sup>3</sup>
	Natural radioactivity ITB 455/2010	no requirements	below regulatory safety limits	no requirements	below regulatory safety limits
	Resistance to staining PN-EN ISO 10545-14	min. 3 cl.	cl. 5	min. 3 cl. (GL)	cl. 5
	Crazing resistance, tests according to PN-EN ISO 10545-11	required	resistant	required	resistant
	Thermal shock resistance, test according to PN-EN ISO 10545-9	required	resistant	required	resistant

\* please note that proper constructional chemicals may be required (dedicated adhesive) to reinforce the first layer

\*\* more square metres of 6 mm tiles in transport compared to thicker tiles, while keeping the same weight

117

**NOTES**

---

**NOTES**

---



**CERRAD Ltd.**

27-200 Starachowice  
Radomska 49 B Street, Poland  
phone +48 800 237 723  
[office@cerrad.com](mailto:office@cerrad.com)  
[www.cerrad.com](http://www.cerrad.com)

Office of  
the  
President  
of the  
Republic  
of Poland  
in Warsaw